

### Key Features

- 300W @ 8Ohm, 300W/150W/75W/37W @ (70/100 V line).
- 12" Coaxial speaker & 1.5" compression driver.
- Cabinet built from water-resistant ABS plastic.
- Waterproof strip connector (in/out).
- Power tap switch.
- U bracket included.
- Dimensions 540 x 500 x 500mm | 20.3kg.



The WFS 6 CX is an audio projector that complete the WFS series. They have been designed for outdoor applications. WFS 6 CX incorporates an 12" coaxial transducer and a 1.5" compression driver. Their high IP rating (IP 66) makes it suitable for sports facilities, recreational areas, etc. WFS 6 CX has two connection modes (low impedance 8 Ohm and 70/100V line) allow to adjust the device for different acoustic solutions. It is available in black and white color.


### Applications

-  Retail & Commerce
-  Hospitality
-  Industry & Corporate
-  Education
-  Houses of worship
-  Sport Venues


### Technical Specifications

<b>Type</b>	Coaxial Loudspeaker		
<b>Transducers</b>	1x 12" speaker (coaxial) + 1.5" compression driver		
<b>Power Handling</b>	<b>LOW IMPEDANCE 8Ω</b> 300W	<b>70V line</b> 300W/150W/75W/37W	<b>100V line</b> 300W/50W/75W
<b>Inputs</b>	Strip with Terminals (input and power taps)		
<b>Frequency Range</b>	70Hz-20kHz (-10 dB)		
<b>Sensitivity</b>	103dB		
<b>SPL max</b>	130dB		
<b>Dispersion</b>	60° x 120° (-10dB)		
<b>Cabinet construction</b>	Water-resistant ABS plastic.		<b>IP rating</b> IP 66
<b>Mounting</b>	U bracket		
<b>Dimensions</b>	<b>Size (W x H x D)</b> 540 x 500 x 500mm		
<b>Net Weight</b>	20.3kg		
<b>Finish</b>	White or black colour		


Rear Panel (View)



Response curve (Impedance)




Response curve (Sensitivity /SPL)




## Polar Patterns


### VERTICAL Low Frequencies




### VERTICAL Middle Frequencies



## Polar patterns




**VERTICAL**  
High Frequencies




**HORIZONTAL**  
Low Frequencies

## Polar patterns



**HORIZONTAL**  
**Middle Frequencies**



**HORIZONTAL**  
**High Frequencies**

## Shipping & Ordering

<b>Packaging</b>	Cardboard box (Unit)		
<b>Dimensions</b>	<b>Weight</b> 10.3kg	<b>Size (H x W x D)</b> 475 x 513 x 480mm	<b>Volume</b> 0.1170 CBM

## References

#50WFS008 WFS 6 CX Black color version

#50WFS018 WFS 6 CX White color version

## Accessories

\*\* Check the product in our website for additional information.



## Copyright

Technical specifications and availability subject to change without notice.

WORKPRO® reserve all rights in this document and in the subject thereof. By acceptance of the document the recipient acknowledges these rights and undertakes not to publish the document nor the subject thereof in full or in part, nor to make them available to any third party without our prior express written authorization, nor to use it for any purpose other than for which it was delivered to him.

Version 1.0