



Datasheet / Ficha técnica

FT8045



F





Technical data / Características técnicas	FT8045
Max. Load / Carga máx (mec.)	P1 - 450 kg P2 - 440 kg P3 - 430 kg P4 - 420 kg P5 - 400 kg P1 - 992 lb P2 - 970 lb P3 - 948 lb P4 - 926 lb P5 - 882 lb
Max. Load / Carga máx (struct.)	P1 - 700 kg P2 - 620 kg P3 - 550 kg P4 - 475 kg P5 - 400 kg P1 - 1543 lb P2 - 1367 lb P3 - 1213 lb P4 - 1047 lb P5 - 882 lb
Peso / Weight	272 kg 600 lb
Folded base / Base plegada	0,78 x 0,6 m 2,56 x 1,97 ft
Folded height / Altura plegada	2 m 6,56 ft
Maximum height / Altura máxima	8 m 26,25 ft
Nº of profiles / Nº de tramos	6
Cable diameter / Diámetro cable	6 mm 0,24 in
Profile / Perfil	195 x 110 mm 7,68 x 4,33 in
Minimum load / Carga mínima	25 kg 55 lb
Material	Aluminio y Acero Aluminum and Steel
Alloy / Aleación	EN AW-6082 T6 S235JR
Colors / Colores	Negro mate Matte Black- RAL9005
Complies with / Cumple con	DGUV CE



ACCESSORIES / ACCESORIOS



ATF2DS



ATF08PAM



ATF08PA

