

WORK PRO® **W**

Accessories

09/10

WORK PRO® **W**





WORK is a brand of **EQUIPSON**[®] S.A



Since 1995, **Equipson S.A.** offers an exclusive range of professional audio and lighting products, truss system and accessories for the entertainment industry.

With its leading brand **WORK**[®], the company aims to offer innovative and competitive products, with great efforts of our R&D department in designing highly technological devices. A special care is taken in electronic design and hardware packaging. **WORK**[®] products have been designed to meet the real needs of the industry, by offering an adequate answer for almost any installations and touring applications.

Every year, the company takes part to the main international trade shows. **WORK**[®] products are of course distributed over the 5 continents.



Facade of Equipson S.A.

Dear friend,

We are very proud to send you this new 2009/10 catalogue!

This publication is very special for us, as it represents years of efforts dedicated to people in the trade with the will to offer an exclusive range of professional audio and lighting products.

As you know, we have been strongly investing on our R&D department over the last years, devoting a full plant for **WORK®** product development and innovation. Today it bears fruits and so you will discover in this new catalogue exclusive products that perfectly meet professional needs. As a recognition of this strategy of research and technological development, **WORK®** has received the stamps of IMPIVA: the European union recognizes company's contribution to its sector.

Regarding quality process, there is a constant upgrade of existing products, taking into account user experiences and commentaries. We take care of the overall design of products, from internal components to finishing. A complete revision of products is done when a new production starts.

For maximum convenience, **WORK®** products have divided in four catalogues:

- **Audio catalogue:** We present full solutions for any of your audio installations, by offering an adequate answer for almost any installations (airports, museums, auditoriums, theatres, bars, etc.) and touring applications.
- **Lighting catalogue:** Lighting designers and professional VJs will take advantage our product selection, with an impressive range of LED fixtures and controllers.
- **Towers and truss catalogue:** Even if quality and reliability of **WORK®** lifting towers have been proved over the years, we still develop new models and improve existing ones. We ensure that they all achieve the strictest international security norms.
- **Accessories catalogue:** We offer all the accessories required for your audio/lighting installations. We have extended our selection to offer accessories suitable with the newest technologies.

Every years **WORK®** audio and lighting products are shown at all the important international trade shows (PLASA Show, Prolight+sound, Afial, Infocomm, etc.). This is the best opportunity to meet our engineers and ask anything you want about new products. We will be proud to help you in any of your projects.

Best regards,

José Vila





accessories



- 6_ CONNECTORS AND ADAPTERS.
- 23_ CABLE SPOOLS.
- 25_ CONNECTOR CABLES.
- 39_ STAGEWHEELS.
- 43_ STUDIO SNAKES.
- 45_ POWER CABLES.
- 48_ POWER SPLITTERS.
- 50_ CONNECTION BARS.
- 52_ PATCH PANELS.
- 54_ RACK MOUNT PATCH PANELS.
- 55_ METAL BOXES.
- 56_ MICROPHONE ACCESSORIES.
- 62_ STAND AND BRACKETS FOR LOUDSPEAKERS.
- 66_ TRANSPORT BAGS / TRANSPORT CASES.
- 69_ RACKS.
- 85_ 19" RACKS.
- 97_ 19" ABS RACKS.
- 100_ ABS TRANSPORT CASES.
- 101_ 19" ACCESSORIES.

accessories



CA 9



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|------|--------|---------|
| MALE | MONO | AERIAL | PLASTIC |
|------|------|--------|---------|

CA 13



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|--------|
| MALE | STEREO | AERIAL | CHROME |
|------|--------|--------|--------|

CA 12



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|------|--------|--------|-------------|
| MALE | MONO | AERIAL | CHROME | RIGHT ANGLE |
|------|------|--------|--------|-------------|

CA 50 -Black

CA 51 -Blue

CA 52 -Red



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|------|--------|-------------------------------|
| MALE | MONO | AERIAL | PLASTIC colour identification |
|------|------|--------|-------------------------------|

CA 10



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|------|--------|--------|
| MALE | MONO | AERIAL | CHROME |
|------|------|--------|--------|

CA 109



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|------|--------|--------|-------------|
| MALE | MONO | AERIAL | CHROME | RIGHT ANGLE |
|------|------|--------|--------|-------------|

CA 11




1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|--------|--------|--------|-------------|
| MALE | STEREO | AERIAL | CHROME | RIGHT ANGLE |
|------|--------|--------|--------|-------------|

CA 53 -Black

CA 54 -Blue

CA 55 -Red



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|------|--------|-------------------------------|
| MALE | MONO | AERIAL | PLASTIC colour identification |
|------|------|--------|-------------------------------|

CA 114



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|------|--------|--------|--------------|
| MALE | MONO | AERIAL | CHROME | GOLD CONTACT |
|------|------|--------|--------|--------------|

CA 116



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|------|--------|-------|--------------|
| MALE | MONO | AERIAL | METAL | GOLD CONTACT |
|------|------|--------|-------|--------------|

CA 146



NEW

1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|--------|--------|-------|--------------|
| MALE | STEREO | AERIAL | METAL | GOLD CONTACT |
|------|--------|--------|-------|--------------|

- CA 56 -Black
- CA 57 -Blue
- CA 58 -Red



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|-------------------------------|
| MALE | STEREO | AERIAL | PLASTIC colour identification |
|------|--------|--------|-------------------------------|

CA 151

NEW



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|------|--------|--------|
| MALE | MONO | AERIAL | CHROME |
|------|------|--------|--------|

CA 108

NEW



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|------|--------|-------|--------------|
| MALE | MONO | AERIAL | METAL | GOLD CONTACT |
|------|------|--------|-------|--------------|

CA 115



1/4" Jack connector.
Supplied in a pack of five.

| | | | | |
|------|--------|--------|--------|--------------|
| MALE | STEREO | AERIAL | CHROME | GOLD CONTACT |
|------|--------|--------|--------|--------------|

- CA 59 -Black
- CA 60 -Blue
- CA 61 -Red



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|-------------------------------|
| MALE | STEREO | AERIAL | PLASTIC colour identification |
|------|--------|--------|-------------------------------|



CA 63



1/4" Jack connector.
Supplied in a pack of five.

| | | | |
|--------|--------|--------|--------|
| FEMALE | STEREO | AERIAL | CHROME |
|--------|--------|--------|--------|

CA 117 -Mono

CA 118 -Stereo



Mini Jack connector.
Supplied in a pack of five.

| | | |
|------|--------|--------|
| MALE | AERIAL | CHROME |
|------|--------|--------|

CA 17 -Red

CA 18 -Black



RCA connector.

| | | |
|------|--------|---------|
| MALE | AERIAL | PLASTIC |
|------|--------|---------|

CA 150

NEW



Mini Jack connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|--------|
| MALE | STEREO | AERIAL | CHROME |
|------|--------|--------|--------|

CA 144

NEW



RCA connector.
Supplied in a pack of five.

| | | | | |
|------|--------|-------------|--------|--------------|
| MALE | AERIAL | RIGHT ANGLE | CHROME | GOLD CONTACT |
|------|--------|-------------|--------|--------------|

CA 80 -Red

CA 81 -Black



RCA connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|---------------------------------------|
| MALE | AERIAL | CHROME | RED or BLACK RING for identification. |
|------|--------|--------|---------------------------------------|

CA 82 -Red

CA 83 -White



RCA connector.
Supplied in a pack of five.

| | | | | |
|------|--------|-------|--------------|---------------------------------------|
| MALE | AERIAL | METAL | GOLD CONTACT | RED or WHITE RING for identification. |
|------|--------|-------|--------------|---------------------------------------|

CA 142 -Red

CA 143 -Blue

NEW



RCA connector.
Supplied in a pack of five.

| | | | | |
|------|--------|--------|--------------|--------------------------------------|
| MALE | AERIAL | CHROME | GOLD CONTACT | RED or BLUE RING for identification. |
|------|--------|--------|--------------|--------------------------------------|

CA 152 -Black

CA 153 -Red

NEW



RCA connector.
Supplied in a pack of five.

| | | | |
|------|--------|--------|---------------------------------------|
| MALE | AERIAL | CHROME | RED or BLACK RING for identification. |
|------|--------|--------|---------------------------------------|

CA 84 -Red
CA 85 -Black



RCA connector.
Supplied in a pack of five.

| | | | | |
|--------|--------|-------|--------------|--------------------------------------|
| | | | | |
| FEMALE | AERIAL | METAL | GOLD CONTACT | RED or BLACK RING for identification |

CA 30 -Green



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|--------|--------|-------------------------------|
| | | | |
| 3 PIN | FEMALE | AERIAL | GREEN RING for identification |

CA 7 -Male



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------|--------|-------------|
| | | | |
| 3 PIN | MALE | AERIAL | RIGHT ANGLE |

CA 32 -Black
CA 33 -Blue
CA 34 -Red



XLR connector.
Supplied in a pack of five.

| | | | | |
|-------|------|--------|--------|---|
| | | | | |
| 3 PIN | MALE | AERIAL | CHROME | BLACK, BLUE and GREEN RING for identification |

CA 86 -Red
CA 87 -Black



RCA connector.
Supplied in a pack of five.

| | | | | |
|--------|--------|-------|---------------|--------------------------------------|
| | | | | |
| FEMALE | AERIAL | METAL | Gold contacts | RED or BLACK RING for identification |

CA 31 -Red



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------|--------|-----------------------------|
| | | | |
| 3 PIN | MALE | AERIAL | RED RING for identification |

CA 8 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|--------|--------|-------------|
| | | | |
| 3 PIN | FEMALE | AERIAL | RIGHT ANGLE |

CA 35 -Black
CA 36 -Blue
CA 37 -Red



XLR connector.
Supplied in a pack of five.

| | | | | |
|-------|--------|--------|--------|---|
| | | | | |
| 3 PIN | FEMALE | AERIAL | CHROME | BLACK, BLUE and GREEN RING for identification |



CA 1 -Male

CA 2 -Female



XLR connector.
Supplied in a pack of five.

| | | |
|-------|--------|--------|
| 3 PIN | AERIAL | CHROME |
|-------|--------|--------|

CA 29 -Male

CA 27 -Female



XLR connector.
Supplied in a pack of five.

| | | |
|-------|--------|--------|
| 4 PIN | AERIAL | CHROME |
|-------|--------|--------|

CA 99/7 -Male

CA 28 -Female



XLR connector.
Supplied in a pack of five.

| | | |
|-------|--------|--------|
| 7 PIN | AERIAL | CHROME |
|-------|--------|--------|

CB 93



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|--------|--------|---------|
| 3 PIN | FEMALE | SOCKET | PLASTIC |
|-------|--------|--------|---------|

CA 45 -Male

CA 46 -Female



XLR connector.
Supplied in a pack of five.

| | | |
|-------|--------|--------|
| 3 PIN | AERIAL | CHROME |
|-------|--------|--------|

CA 39 -Male

CA 38 -Female



XLR connector.
Supplied in a pack of five.

| | | |
|-------|--------|--------|
| 5 PIN | AERIAL | CHROME |
|-------|--------|--------|

CB 14/2 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|--------|--------|--------|--------|
| FEMALE | STEREO | SOCKET | CHROME |
|--------|--------|--------|--------|

CB 3 -Male

CB 4 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 3 PIN | 2 Mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 5 -Male
CB 6 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|---------|
| 3 PIN | 2 mounting holes | SOCKET | PLASTIC |
|-------|------------------|--------|---------|

CB 111 -Male
CB 110 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 3 PIN | 3 mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 48 -Male
CB 44 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 5 PIN | 2 mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 126


NEW



XLR connector.
Supplied in a pack of five.

| | | | | |
|-------|------------------|------|--------|---------|
| 5 PIN | 2 mounting holes | MALE | SOCKET | PLASTIC |
|-------|------------------|------|--------|---------|

CB 41 -Male
CB 40 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 3 PIN | 2 mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 43 -Male
CB 42 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 4 PIN | 2 mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 26 -Male
CB 49 -Female



XLR connector.
Supplied in a pack of five.

| | | | |
|-------|------------------|--------|--------|
| 7 PIN | 2 mounting holes | SOCKET | CHROME |
|-------|------------------|--------|--------|

CB 127

NEW



XLR connector.
Supplied in a pack of five.

| | | | | |
|-------|------------------|--------|--------|---------|
| 5 PIN | 2 mounting holes | FEMALE | SOCKET | PLASTIC |
|-------|------------------|--------|--------|---------|



CB 124



RCA connector.
Supplied in a pack of five.

| | | | |
|--------|------------------|--------|-------|
| FEMALE | 2 mounting holes | SOCKET | METAL |
|--------|------------------|--------|-------|

CB 62



1/4" Jack connector. For chasis.
Supplied in a pack of five.

| | | |
|--------|--------|--------|
| FEMALE | STEREO | SOCKET |
|--------|--------|--------|

CB 96



XLN connector.
Supplied in a pack of two.

| | | | | |
|-------|------------------|--------|--------|---------|
| 8 PIN | 4 mounting holes | FEMALE | SOCKET | PLASTIC |
|-------|------------------|--------|--------|---------|

CB 180



XLN connector. Square base.
Supplied in a pack of two.

| | | | | |
|-------|------------------|--------|--------|---------|
| 4 PIN | 4 mounting holes | FEMALE | SOCKET | PLASTIC |
|-------|------------------|--------|--------|---------|

CB 125



RCA connector.
Supplied in a pack of five.

| | | | |
|--------|------------------|--------|---------|
| FEMALE | 2 mounting holes | SOCKET | PLASTIC |
|--------|------------------|--------|---------|

CA 24 -Male

CA 25 -Female



IEC connector.
Supplied in a pack of five.

| | | | |
|-------|------------|--------|---------|
| 3 PIN | 1P + N + E | AERIAL | PLASTIC |
|-------|------------|--------|---------|

CB 91 -Round

CB 92 -Square



XLN connector.
Supplied in a pack of five.

| | | | | |
|-------|--------------------|--------|--------|---------|
| 4 PIN | 2/4 mounting holes | FEMALE | SOCKET | PLASTIC |
|-------|--------------------|--------|--------|---------|

CB 112 -Square 4 PIN

CB 113 -Round 8 PIN



XLN connector.
Supplied in a pack of five.

| | | | | |
|-------|------------------|--------|--------|--------|
| 4 PIN | 2 mounting holes | FEMALE | SOCKET | CHROME |
| 8 PIN | 4 mounting holes | FEMALE | SOCKET | CHROME |

CA 90 -Male
CA 94 -Female



XLN connector.
Supplied in a pack of five.

| | | |
|-------|--------|---------|
| 4 PIN | AERIAL | PLASTIC |
|-------|--------|---------|

CA 137



XLN connector.
Supplied in a pack of four.

| | | | | |
|-------|------|--------|-------------|---------|
| 4 PIN | MALE | AERIAL | RIGHT ANGLE | PLASTIC |
|-------|------|--------|-------------|---------|

CA 99/5



DIN connector.
Supplied in a pack of five.

| | | | |
|-------|------|--------|--------|
| 5 PIN | MALE | AERIAL | CHROME |
|-------|------|--------|--------|

CA 134



DIN connector.
Supplied in a pack of 10.

| | | | |
|-------|------|--------|--------|
| 5 PIN | MALE | AERIAL | CHROME |
|-------|------|--------|--------|

CA 136



XLN connector.
Supplied in a pack of five.

| | | | | |
|-------|------|---------------|--------|---------|
| 2 PIN | MALE | Pressure ring | AERIAL | PLASTIC |
|-------|------|---------------|--------|---------|

CA 95



XLN connector.

| | | | |
|-------|------|--------|---------|
| 8 PIN | MALE | AERIAL | PLASTIC |
|-------|------|--------|---------|

CA 135



DIN connector.
Supplied in a pack of 10.

| | | | | |
|-------|--------|--------|-------------|--------|
| 5 PIN | FEMALE | AERIAL | RIGHT ANGLE | CHROME |
|-------|--------|--------|-------------|--------|

CB 128




DIN connector.
Supplied in a pack of five.

| | | | | |
|-------|------------------|--------|--------|---------|
| 5 PIN | 2 mounting holes | FEMALE | SOCKET | PLASTIC |
|-------|------------------|--------|--------|---------|



CA 120 -Red

CA 121 -Black



BANANA connector.
Supplied in a pack of five.

| | | | |
|--------------------------------------|------|--------|--------|
| RED or BLACK ring for identification | MALE | AERIAL | CHROME |
|--------------------------------------|------|--------|--------|

CB 190



Connection socket for speakers.
Supplied in a pack of five.

| | | | |
|--------|-----------------|--------|-------|
| FEMALE | 1 mounting hole | SOCKET | 2 PIN |
|--------|-----------------|--------|-------|

CA 132



Adapter (Female 1/4" Jack - Male Mini Jack).
Supplied in a pack of five.

| | | | | |
|-------------------|--------|------|--------|---------|
| 1/4" JACK | FEMALE | MONO | AERIAL | PLASTIC |
| 3.5 mm MINI JACK. | MALE | MONO | AERIAL | PLASTIC |

CA 119



Adapter (Female RCA - Male 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|------|--------|--------|
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |
| RCA | FEMALE | — | AERIAL | CHROME |

CA 122 -Red

CA 123 -Black



BANANA connector.
Supplied in a pack of five.

| | | | | |
|--------------------------------------|---------|------|--------|--------------|
| RED or BLACK ring for identification | PLASTIC | MALE | AERIAL | GOLD CONTACT |
|--------------------------------------|---------|------|--------|--------------|

CB 129



BNC connector.
Supplied in a pack of five.

| | | | |
|--------|------------------|--------------|--------|
| FEMALE | 2 mounting holes | METAL SOCKET | CHROME |
|--------|------------------|--------------|--------|

CA 133



Adapter (Female 1/4" Jack - Male Mini Jack).
Supplied in a pack of five.

| | | | | |
|-------------------|--------|--------|--------|---------|
| 1/4" JACK | FEMALE | STEREO | AERIAL | PLASTIC |
| 3.5 mm MINI JACK. | MALE | STEREO | AERIAL | PLASTIC |

CA 140



Adapter (Male 1/4" Jack - Female Mini Jack).
Supplied in a pack of five.

| | | | | |
|-------------------|--------|------|--------|--------|
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |
| Mini Jack 3,5 mm. | FEMALE | MONO | AERIAL | CHROME |

CA 163



Adapter (1/4" Jack - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-----------|------|------|--------|--------|
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |

CA 138



"Y" adapter (2 x RCA - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|--------|--------|---------|
| 2 RCA | FEMALE | — | AERIAL | PLASTIC |
| 1/4" JACK | MALE | STEREO | AERIAL | PLASTIC |

CA 130



Adapter (2 x RCA - Mini Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|--------|--------|---------|
| 2 RCA | FEMALE | — | AERIAL | PLASTIC |
| MINI JACK | MALE | STEREO | AERIAL | PLASTIC |

CA 141



Adapter double RCA - RCA
Supplied in a pack of five.

| | | | |
|-------|--------|--------|---------|
| 2 RCA | FEMALE | AERIAL | PLASTIC |
| 2 RCA | FEMALE | AERIAL | PLASTIC |

CA 148



"Y" adapter (2 RCA - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|------|--------|--------|
| 2 RCA | FEMALE | — | AERIAL | CHROME |
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |

CA 139



"Y" adapter (2 x RCA - Mini Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|--------|--------|---------|
| 2 RCA | FEMALE | — | AERIAL | PLASTIC |
| MINI JACK | MALE | STEREO | AERIAL | PLASTIC |

CA 131



Adapter (2 x 1/4" Jack - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-------------|--------|--------|--------|---------|
| 2 1/4" JACK | FEMALE | MONO | AERIAL | PLASTIC |
| 1 1/4" JACK | MALE | STEREO | AERIAL | PLASTIC |

CA 147



"Y" adapter 1 RCA - 2 x RCA
Supplied in a pack of five.

| | | | | |
|-------|--------|--------|--------------|---------|
| 2 RCA | FEMALE | AERIAL | GOLD CONTACT | PLASTIC |
| 1 RCA | MALE | AERIAL | GOLD CONTACT | PLASTIC |



CA 145



Adapter (2 x RCA - RCA).
Supplied in a pack of five.

| | | | |
|-------|--------|--------|--------------|
| 2 RCA | FEMALE | AERIAL | GOLD CONTACT |
| 1 RCA | MALE | AERIAL | GOLD CONTACT |

CA 160



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|--------|------|--------|--------|
| XLR 3 PIN | FEMALE | ———— | AERIAL | CHROME |
| 1/4" JACK | FEMALE | MONO | AERIAL | CHROME |

CA 161



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|--------|------|--------|--------|
| XLR 3 PIN | MALE | ———— | AERIAL | CHROME |
| 1/4" JACK | FEMALE | MONO | AERIAL | CHROME |

CA 70



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|------|--------|--------|--------|
| XLR 3 PIN | MALE | ———— | AERIAL | CHROME |
| 1/4" JACK | MALE | STEREO | AERIAL | CHROME |

CA 71



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|--------|--------|--------|--------|
| XLR 3 PIN | FEMALE | ———— | AERIAL | CHROME |
| 1/4" JACK | MALE | STEREO | AERIAL | CHROME |

CA 72



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|--------|------|--------|--------|
| XLR 3 PIN | FEMALE | ———— | AERIAL | CHROME |
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |

CA 73



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|--------------|------|------|--------|--------|
| XLR 3 PIN | MALE | ———— | AERIAL | CHROME |
| 1/4" JACK | MALE | MONO | AERIAL | CHROME |

CA 74



Adapter (XLR - RCA).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|--------|
| XLR 3 PIN | FEMALE | AERIAL | CHROME |
| RCA | MALE | AERIAL | CHROME |

CA 75



Adapter (XLR - RCA).
Supplied in a pack of five.

| | | | |
|-----------|------|--------|--------|
| XLR 3 PIN | MALE | AERIAL | CHROME |
| RCA | MALE | AERIAL | CHROME |

CA 64



Adapter (XLR - XLR).
Supplied in a pack of five.

| | | | |
|-----------|------|--------|--------|
| XLR 3 PIN | MALE | AERIAL | CHROME |
| XLR 3 PIN | MALE | AERIAL | CHROME |

CA 65



Adapter (XLR - XLR).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|--------|
| XLR 3 PIN | FEMALE | AERIAL | CHROME |
| XLR 3 PIN | FEMALE | AERIAL | CHROME |

CA 88



Adapter (XLR - XLR).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|--------|
| XLR 3 PIN | MALE | AERIAL | CHROME |
| XLR 3 PIN | FEMALE | AERIAL | CHROME |

CA 76



Adapter (XLN - 1/4" Jack).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|---------------|
| 1/4" JACK | FEMALE | AERIAL | SECURITY LOCK |
| XLN 4 PIN | MALE | AERIAL | PLASTIC |

CA 162



Adapter (XLN - 1/4" Jack).
Supplied in a pack of five.

| | | | | |
|-----------|--------|------|--------|---------------|
| XLN 4 PIN | FEMALE | — | AERIAL | — |
| 1/4" JACK | FEMALE | MONO | AERIAL | SECURITY LOCK |



CA 66



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|--------|
| XLR 3 PIN | MALE | AERIAL | CHROME |
| 1/4" JACK | FEMALE | AERIAL | CHROME |

CA 77



Adapter (XLR - XLN).
Supplied in a pack of five.

| | | |
|-----------|--------|--------|
| XLR 3 PIN | FEMALE | AERIAL |
| XLN 4 PIN | FEMALE | AERIAL |

CA 69



Adapter (XLR - XLN).
Supplied in a pack of five.

| | | |
|-----------|------|--------|
| XLR 3 PIN | MALE | AERIAL |
| XLN 4 PIN | MALE | AERIAL |

CA 68



Adapter (XLB - XLN).
Supplied in a pack of five.

| | | |
|-----------|--------|--------|
| XLN 4 PIN | FEMALE | AERIAL |
| XLN 4 PIN | FEMALE | AERIAL |

CA 67



Adapter (XLR - 1/4" Jack).
Supplied in a pack of five.

| | | | |
|-----------|--------|--------|--------|
| XLR 3 PIN | FEMALE | AERIAL | CHROME |
| 1/4" JACK | FEMALE | AERIAL | CHROME |

CA 78



Adapter (XLR - XLN).
Supplied in a pack of five.

| | | |
|-----------|--------|--------|
| XLR 3 PIN | MALE | AERIAL |
| XLN 4 PIN | FEMALE | AERIAL |

CA 79



Adapter (XLR - XLN).
Supplied in a pack of five.

| | | |
|-----------|--------|--------|
| XLR 3 PIN | FEMALE | AERIAL |
| XLN 4 PIN | MALE | AERIAL |

CA 98



Adapter (XLB - XLN).
Supplied in a pack of two.

| | | |
|-----------|--------|--------|
| XLN 8 PIN | FEMALE | AERIAL |
| XLN 8 PIN | FEMALE | AERIAL |



CA 500

CB 501



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|-----|------|
| CA 500 | FEMALE | AERIAL | 19 | 25 A |
| CB 501 | MALE | SOCKET | 19 | 25 A |



CA 502

CB 503



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|-----|------|
| CA 502 | MALE | AERIAL | 37 | 13 A |
| CB 503 | FEMALE | SOCKET | 37 | 13 A |



CA 504

CB 505



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|-----|------|
| CA 504 | MALE | AERIAL | 19 | 25 A |
| CB 505 | FEMALE | SOCKET | 19 | 25 A |



CA 506

CB 507



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|-----|------|
| CA 506 | FEMALE | AERIAL | 37 | 13 A |
| CB 507 | MALE | SOCKET | 37 | 13 A |



CA 508

CB 509



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|-----|------|
| CA 508 | FEMALE | AERIAL | 19 | 25 A |
| CB 509 | MALE | SOCKET | 19 | 25 A |



CA 510

CB 511



Multi-connector.

| PRODUCT | | | PIN | AMP |
|---------|--------|--------|---------|---------------|
| CA 510 | FEMALE | AERIAL | 58 3 | 7,5 A 25 A |
| CB 511 | MALE | SOCKET | 58 3 | 7,5 A 25 A |



WHA 216 -16 pins



NEW



16 PIN Adapter (16 A/PIN)

Adapter for multicore cables with 16 pin connector (male/female) for extension.

| | | | |
|--------|--------|--------|---------------|
| MALE | SOCKET | 16 PIN | 16 A/PIN 500V |
| FEMALE | AERIAL | 16 PIN | 16 A/PIN 500V |

16 A/PIN CONNECTORS

Packs of connectors (male, female, socket and aerial) with 6, 10 and 16 pins (depending on the model) + ground connection. 16 A/pin 500V.

WH 6 -6 pins



NEW

| | | | |
|--------|--------|-------|---------------|
| MALE | SOCKET | 6 PIN | 16 A/pin 500V |
| FEMALE | AERIAL | 6 PIN | 16 A/pin 500V |

WH 10 -10 pins



NEW

| | | | |
|--------|--------|--------|---------------|
| MALE | SOCKET | 10 PIN | 16 A/pin 500V |
| FEMALE | AERIAL | 10 PIN | 16 A/pin 500V |

WH 16 -16 pins



NEW

| | | | |
|--------|--------|--------|---------------|
| MALE | SOCKET | 16 PIN | 16 A/pin 500V |
| FEMALE | AERIAL | 16 PIN | 16 A/pin 500V |

CA 200



Schuko connector.

| PRODUCT | | |
|---------|------|--------|
| CA 200 | MALE | AERIAL |

CA 204



CA 205



Schuko connector.

| PRODUCT | | |
|---------|--------|--------|
| CA 204 | MALE | AERIAL |
| CA 205 | FEMALE | AERIAL |

CA 800 **44**
IPCA 801 **44**
IP

Mono-phase connector (3P+N+E) CEE.

| PRODUCT | | POLES | AMP. |
|---------|--------|-------|------|
| CA 800 | MALE | 3 | 16 A |
| CA 801 | FEMALE | 3 | 16 A |

CA 810 **44**
IPCA 815 **44**
IP

Mono-phase connector (3 P+N+E) CEE.

| PRODUCT | | POLES | AMP. |
|---------|--------|-------|------|
| CA 810 | MALE | 3 | 32 A |
| CA 815 | FEMALE | 3 | 32 A |

CA 802 **44**
IPCA 803 **44**
IP

Tri-phase connector (1P+N+E) CEE.

| PRODUCT | | POLES | AMP. |
|---------|--------|-------|------|
| CA 802 | MALE | 5 | 16 A |
| CA 803 | FEMALE | 5 | 16 A |

CA 3003 **44**
IP

Mono-phase adapter (1P+N+E) with 3 pole connector (male) of 16 A. 3 Mono-phase sockets (1P+N+E) with 3 poles (female / 16 A).

| PRODUCT | CONNECTORS | POLES | AMP. |
|---------|--------------------|--------|--------------|
| CA 3003 | 1 MALE 3 FEMALE | 3 3 | 16 A 16 A |


CA 850 44
IP



Tri-phase connector CEE (3P+N+E).

| PRODUCT | | POLES | AMP. |
|---------|------|-------|------|
| CA 850 | MALE | 5 | 32 A |

CA 900 67
IP


Tri-phase connector CEE (3P+N+E).

| PRODUCT | | POLES | AMP. |
|---------|------|-------|------|
| CA 900 | MALE | 5 | 63 A |

CA 3000 44
IP


Input/output tri-phase adapter with 3 mono-phase outputs.

| PRODUCT | CONNECTORS | POLES | AMP. |
|---------|------------|-------|------|
| CA 3000 | 1 MALE | 5 | 32 A |
| | 1 FEMALE | 5 | 32 A |
| | 1 MALE | 3 | 32 A |
| | 2 FEMALE | 3 | 32 A |

CA 851 44
IP


Tri-phase connector CEE (3P+N+E).

| PRODUCT | | POLES | AMP. |
|---------|--------|-------|------|
| CA 851 | FEMALE | 5 | 32 A |

CA 901 67
IP


Tri-phase connector CEE (3P+N+E).

| PRODUCT | | POLES | AMP. |
|---------|--------|-------|------|
| CA 901 | FEMALE | 5 | 63 A |

CA 3005 44
IP


Male/female adapter with fixation point.

| PRODUCT | CONNECTORS | POLES | AMP. |
|---------|------------|-------|------|
| CA 3005 | 1 MALE | 5 | 16 A |
| | 1 FEMALE | 5 | 16 A |
| | 2 FEMALE | 3 | 16 A |

Cable spools for signal, speakers and supply from the **MMD, MMI, MGO, MES, MSP, SPL** and **MAN** series. They are supplied in 100 meters plastic or wood spools for an easy handling.



MMD 50 DMX

Cable spool for DMX



Cable spool for DMX interconnection. 2 conductors and braid shielding. Black jacket. Impedance: 110 ohm.




MMI 90 Series

Cable spool for microphone



Microphone cable spool.



MMI-90 Black.
MMI-91 Red.
MMI-92 Blue.
MMI-93 Green.

MMI 100 Series

Graphite cable spool for microphone

Graphite cable spool for microphone. 2 conductors and braid shielding.



MMI-100 Black.
MMI-101 Red.
MMI-102 Blue.
MMI-103 Green.



MGO Series

Graphite cable spool for instruments

Graphite cable spool for instruments. 1 conductor and braid shielding.



MGO-110 Black.
MGO-111 Red.





MES Series

Parallel cable spools for audio signal

Parallel cable spool for audio signal.
2 conductors and 2 braid shieldings.
For stereo signal.



MES-120 Black.



MSP Series

Parallel cable spool for speaker

Parallel cable spool for speaker.
2 conductors.



- MSP-130 1 mm. Black.
- MSP-131 1 mm. Red.
- MSP-140 2 mm. Black.
- MSP-141 2.5 mm. Black

SPL 10

Cable spool for speaker and audio signal



Cable spool for power and signal.

This cable spool includes 2 independent lines, one for power and another for signal. Power line with earth. Audio line with 2 conductors and braid shielding. Designed for self-powered loudspeakers.

MSP 150

Cable spool for speaker



Air free cable spool for speaker. 2 conductors with transparent protection. Diameter: 3.5 mm.

MAN Serie

Audio cable spool



Audio cable spool. Many conductors and sections. Supplied in 50 meter spools.

- MAN-20 20 pair. Diameter: 22.5 mm.
- MAN-32 32 pair. Diameter: 25.5 mm.
- MAN-40 40 pair. Diameter: 31 mm.

MAN Serie

Lighting cable spool



Lighting cable spool. Many conductors and sections. Supplied in 50 meter spools.

- MAN-3 3 x 1.5 mm.
- MAN-4 3 x 2.5 mm.
- MAN-9 9 x 1.5 mm.
- MAN-13 13 x 1.5 mm.
- MAN-17 17 x 1.5 mm.



K 180

NEW



Double shielded USB cable.
USB type A male to type A male cable.
Colour: black.

LENGTH

1.5 m.

K 182

NEW



Double shielded USB cable.
USB type A male to type A female cable.
Colour: black.

LENGTH

1.5 m.

K 184

NEW



Double shielded USB cable.
USB type A male to Mini USB type A male cable.
Colour: black.

LENGTH

1.5 m.

K 186

This cable connects a dynamic microphone to a PC, so signal can be digitally recorded (using the appropriate software).

NEW




Microphone to USB cable.
USB type A male to XLR 3 female cable. Input impedance: 1 MΩ. THD+N: -76.1 dB. Dynamic range: 81.6 dB. Colour: Black.

LENGTH

3.05 m.

K 188

NEW



This cable connects an instrument like guitar or bass to a PC, so signal can be digitally recorded (using the appropriate software).

Instrument to USB cable.
USB type A male to 1/4" Jack male cable.
Input impedance: 1 MΩ. THD+N: -76,1 dB.
Dynamic range: 81.6 dB. Colour: black.

LENGTH

3.05 m.

K 190

NEW



This cable connects a MIDI keyboard to a PC, so signal can be digitally recorded (using the appropriate software).

IN/OUT MIDI to USB cable.
USB connector type A male to 2 x IN/OUT MIDI connectors (5 pin male DIN). Black colour.

LENGTH

3.05 m.



K 30



XLR 3 female to 1/4" Jack male cable.
For microphone.

LENGTH

6 m.

K 31



XLR 3 female to 1/4" Jack male cable (mono).
For microphone.

LENGTH

10 m.

K 37



XLR 3 female to XLR 3 male cable. For
microphone.

LENGTH

6 m.

K 32



XLR 3 female to XLR 3 male cable.
For microphone.

LENGTH

10 m.

K 28



XLR 3 male to XLR 3 female cable, for audio.
2 conductors (20 x 0.12 mm. each). Individual
insulated conductors / shielded cable.

LENGTH

1 m.

K 39



XLR 3 male to XLR 3 female cable, for audio.
2 conductors (20 x 0.12 mm. each). Individual
insulated conductors / shielded cable.

LENGTH

10 m.

K 111

DMX

NEW



XLR 3 male to XLR 3 female cable, for DMX. 2 conductors (20 x 0.12 mm. each). Shielded cable.

LENGTH

3 m.

K 112

DMX

NEW



XLR 3 male to XLR 3 female cable, for DMX. 2 conductors (20 x 0.12 mm. each). Shielded cable.

LENGTH

10 m.

K 113

DMX

NEW



XLR 5 male to XLR 5 female cable, for DMX. 4 conductors (19 x 0.15 mm. each). Shielded cable.

LENGTH

3 m.

K 114

DMX

NEW



XLR 5 male to XLR 5 female cable, for DMX. 4 conductors (19 x 0.15 mm. each). Shielded cable.

LENGTH

10 m.

K 3 -Black

K 4 -Red




1/4" Jack Mono to 1/4" jack Mono (w/ right angle) cable. For instruments.

LENGTH

6 m.

K 5 -Black

K 6 -Red



1/4" Jack Mono to 1/4" jack Mono (w/ right angle) cable. For instruments.

LENGTH

6 m.



K 7 -Black

K 8 -Red

K 9 -Blue



1/4" Jack mono to 1/4" Jack mono cable, for instruments.

LENGTH

6 m.

K 10 -Black

K 11 -Red



1/4" Jack mono to 1/4" Jack mono cable, for instruments.

LENGTH

6 m.

K 16



1/4" Jack mono to 1/4" Jack mono cable with plastic cover. Metal connectors with gold contacts. Low-noise protection.

LENGTH

10 m.

K 17



1/4" Jack mono to 1/4" Jack mono cable with plastic cover. Metal connectors with gold contacts. Low-noise protection.

LENGTH

10 m.

K 18



1/4" Jack mono to 1/4" Jack mono cable with flexible metal protection. Metal connectors with gold contacts.

LENGTH

10 m.

K 12 -Red

K 14 -Black

K 13 -Blue

K 15 -Yellow



VANDAME-VANDAME. Cable with VANDAME connectors.

LENGTH

40 cm.

K 19

NEW



1/4" Jack mono (right angle) to 1/4" Jack mono (right angle) cable, for audio. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

6 m.

K 21

NEW




1/4" Jack mono (right angle) to 1/4" Jack mono cable, for audio. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

10 m.

K 1



1/4" Jack mono (right angle) to 1/4" Jack mono (right angle) cable. Supplied in pack of six.

LENGTH

40 cm.

K 2



1/4" Jack mono to 1/4" Jack mono cable. Supplied in pack of six.

LENGTH

80 cm.



K 33



XLR 3 male to RCA male cable.

LENGTH

5 m.

K 34



Mini Jack stereo to XLR 3 female cable.

LENGTH

5 m.

K 35



Mini Jack stereo to XLR 3 male cable.

LENGTH

5 m.

K 94

NEW



XLR 3 male to Mini Jack male mono cable.

LENGTH

5 m.

K 36



1/4" Jack female to XLR3 male cable.

LENGTH

1 m.

K 93



1/4" Jack mono to Mini Jack mono cable.

LENGTH

4.5 m.

K 52



XLR 3 male to 2 x XLR 3 female cable.

LENGTH

6 m.

K 53



XLR 3 female to 2 x XLR 3 male cable.

LENGTH

6 m.

K 54




1/4" Jack mono to 2 x 1/4" Jack mono cable.

LENGTH

5 m.

K 55



1/4" Jack stereo to 2 x 1/4" Jack stereo cable.

LENGTH

5 m.

K 51



1/4" Jack stereo to 2 x RCA male cable.

LENGTH

5 m.

K 47



1/4" Jack stereo to 2 x 1/4" Jack mono cable.

LENGTH

3 m.



K 46




1/4" Jack mono to 2 x RCA male cable.

LENGTH

3 m.

K 50



1/4" Jack mono to 2 x RCA male cable.

LENGTH

5 m.

K 62



Mini Jack stereo to 2 x RCA male cable.

LENGTH

1 m.

K 57

NEW



Audio "Y" branch cable. 2 x 1/4" Jack mono to 1 Mini Jack male stereo cable. Colour identification. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

3 m.

K 58

NEW



Audio "Y" branch cable. 2 x XLR 3 male to 1 Mini Jack male stereo cable. Colour identification. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

3 m.

K 59

NEW



Audio "Y" branch cable. 2 x Mini Jack female mono to 1 Mini Jack male stereo cable. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

3 m.

K 67

NEW



Audio "Y" branch cable. 2 x 1/4" Jack female mono to 1 Mini Jack male stereo cable. 1 conductor (20 x 0.12 mm. each). Shielded cable. Colour: Black.

LENGTH

3 m.

K 60



Audio "Y" branch cable. RCA female to 2 x RCA male cable. Metal connector with gold contact.

LENGTH

3 m.

K 61



1 RCA male to 2 x RCA female "Y" branch cable. Metal connector with gold contact.

LENGTH

3 m.

K 20



DIN 5 to DIN 5 cable. For MIDI.

LENGTH

3 m.

K 41



DIN 5 to 4 x RCA male cable.

LENGTH

3 m.

K 42



DIN 5 to 4 x RCA female cable.

LENGTH

3 m.



K 45



2 x 1/4" Jack mono to 2 x RCA male cable.

LENGTH

3 m.

K 56

NEW



Parallel cable with double connection.
2 x 1/4" Jack mono to 2 x RCA female cable.
Colour identification. 1 conductor (20 x 0.12 mm.
each). Shielded cable. Colour: Black.

LENGTH

5 m.

K 40



2 x RCA male to 2 x RCA male stereo cable.

LENGTH

3 m.

K 66

NEW



Parallel cable with double connection.
2 x RCA male to 2 x RCA male cable. Colour
identification. 1 conductor (20 x 0.12 mm.
each). Shielded cable. Colour: Black.

LENGTH

1 m.

K 44



4 x 1/4" Jack mono to 4 x 1/4" Jack mono cable.
Colour identification.

LENGTH

3 m.

K 43



4 x 1/4" Jack mono to 4 x RCA male cable.
Colour identification.

LENGTH

3 m.

K 48



4 x RCA male to 4 x RCA male cable. Colour identification.

LENGTH

3 m.

K 49



4 x RCA male to 4 x RCA male cable. Metal connector with gold contacts.

LENGTH

3 m.

K 72



XLR 3 female to XLR 3 male cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 71



XLR 3 female to 1/4" Jack mono cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 70



1/4" Jack mono to 1/4" Jack mono cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 73



1/4" Jack mono to 2 x Banana cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.



K 85



XLN 4 male to 1/4" Jack mono cable. For speaker. 2 conductors of 2.5 mm.

LENGTH

10 m.

K 86



XLN 4 male to XLR 3 female cable. For speaker. 2 conductors of 2.5 mm.

LENGTH

10 m.

K 80



XLN 4 male to XLN 4 male cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 81



XLN 4 male to XLN 4 male cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 82



XLN 4 male to XLN 4 male cable. For speaker. 4 conductors of 1.5 mm.

LENGTH

10 m.

K 84



XLN 4 female to XLN 4 male cable. For speaker. 2 conductors of 2.5 mm.

LENGTH

10 m.

K 83



XLN 4 female to XLN 4 female cable. For speaker. 2 conductors of 2.5 mm.

LENGTH

10 m.

K 87



XLN 4 female to 2 x Banana cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

10 m.

K 88

NEW



XLN 4 male to XLN 4 male cable. For speaker. 2 conductors of 1.5 mm.

LENGTH

30 m.

K 90



1/4" Jack female to Banana cable. Adapter for speaker. 2 conductors of 1.5 mm.

LENGTH

1 m.

K 91



XLR 3 female to Banana cable. Adapter for speaker. 2 conductors of 2.5 mm.

LENGTH

1 m.

K 92



XLR 3 male to Banana cable. Adapter for speaker. 2 conductors of 2.5 mm.

LENGTH

1 m.



K 110



Power/signal cable for self-powered speakers.
Two conductor cable: one for power and another for audio.
XLR 3 male + IEC female to XLR 3 female + IEC male cables.

LENGTH

10 m.

K 115



Power/signal cable for self-powered speakers.
Two conductor cable: one for power and another for audio.
XLR 3 male + IEC female to XLR 3 female + IEC male cables.

LENGTH

15 m.

WORK cable packaging



High resistance metal stage box with drum for cables. Great capacity, wheels and handle for maximum convenience. Connection through multi-connector cable and from a unique point.

Two models are available: **MLS PRO 32/50** with 28 sends and 4 returns and **MLS PRO 40/50** with 36 sends and 4 returns. Cable for both models is 50 meter length.

MLS PRO 32/50 MLS PRO 40/50

Stage boxes



EXT MLS/32 EXT MLS/40

Extension cables

2 meter length extension cable (IN OPTION).



| PRODUCT | SENDS | RETURNS | WEIGHT | DIMENSIONS | CABLE LENGTH |
|---------------|-------|---------|--------|--------------------|--------------|
| MLS PRO 32/50 | 28 | 4 | 52 kg. | 730 x 730 x 560 mm | 50 m. |
| MLS PRO 40/50 | 36 | 4 | 64 kg. | 730 x 730 x 560 mm | 50 m. |



MLS 20-30 CARRO
MLS 28-30 CARRO
MLS 28-50 CARRO
MLS 32-50 CARRO

Cable hose reels for audio sends/returns.
 Wheels for maximum convenience.
 XLR 3 male (sends) and female (returns)
 with identification numbers.

Four models available with their own
 number of sends/returns and cable length.

| SPECIFICATIONS | SENDS | RETURNS | LENGTH |
|-----------------|-------|---------|--------|
| MLS-20/30 CARRO | 16 | 4 | 30 m. |
| MLS-28/30 CARRO | 24 | 4 | 30 m. |
| MLS-28/50 CARRO | 24 | 4 | 50 m. |
| MLS-32/50 CARRO | 28 | 4 | 50 m. |



MLS 20/6
MLS 20/8

Cable hose reels

NEW



Cable hose reels with great capacity and metal structure
 for maximum convenience.

Connection from a unique point and through the XLR 3
 connector panel.

Two models are available: **MLS 20/6** with 8 sends and
MLS PRO 20/8 with 6 sends. Cable for both models is 20
 meter length.

SOCKET



CABLE



x6
/x8

| PRODUCT | REEL CONNECTION | AERIAL CABLE | WEIGHT | DIMENSIONS | CABLE LENGTH |
|--------------|----------------------|---------------------|--------|---------------------|--------------|
| MLS PRO 20/6 | 6 XLR 3 pin (female) | 6 XLR 3 pin (male) | 7 kg. | 300 x 220 x 370 mm. | 20 m. |
| MLS PRO 20/8 | 8 XLR 3 pin (female) | 8 XLR 3 pin (macho) | 9 kg. | 300 x 220 x 370 mm. | 20 m. |

MLS 002

Metal reel for audio cable hoses with
 connection for 29 sends and 4 returns.




Metal connection box with epoxy finishing paint for high resistance. Its design allows using it as a mobile metal box and on racks, thanks to its subsection wings. Connection from the metal box using a multi-connector cable makes installation easier.

MLS 15M PRO 32/50
MLS 15M PRO 40/50

Connection box

Two models are available: **MLS 15M PRO 32/50** with 24 sends and 8 returns and **MLS 15M PRO 40/50** with 32 sends and 8 returns. Cable for both models is 15 meter length.



MLS 15M PRO 32/50

MLS 15M PRO 40/50



Monitor cable hose.



Main cable hose.



Transport bag (included).



| PRODUCT | BOX | AERIAL CABLE | WEIGHT | DIMENSIONS | MAIN CABLE | MONITOR CABLE HOSE |
|-------------------|--|--|--------|-------------------|------------|--------------------|
| MLS 15M PRO 32/50 | 24 XLR 3 pin (female) 8 XLR 3 pin (male) 2 SOCAPEX | 24 XLR 3 pin (female) 8 XLR 3 pin (male) 1 SOCAPEX | 54 kg. | 483 x 176 x 62 mm | 50 m. | 15 m. |
| MLS 15M PRO 40/50 | 32 XLR 3 pin (female) 8 XLR 3 pin (male) 2 SOCAPEX | 32 XLR 3 pin (female) 8 XLR 3 pin (male) 1 SOCAPEX | 66 kg. | 483 x 223 x 65 mm | 50 m. | 15 m. |

Connection box for audio sends/returns with cable hose. XLR 3 connectors male (sends) and female (returns) with identification numbers. Four models available with their own number of sends/returns and cable length.

MLS-20/30
MLS-28/30
MLS-28/50
MLS-32/50



| SPECIFICATIONS | SENDS | RETURNS | LENGTH |
|----------------|-------|---------|--------|
| MLS-20/30 | 16 | 4 | 30 m. |
| MLS-28/30 | 24 | 4 | 30 m. |
| MLS-28/50 | 24 | 4 | 50 m. |
| MLS-32/50 | 28 | 4 | 50 m. |



BOX 8 and **BOX 12** are 2 compact boxes useful in any professional event. They allow using several microphones at the same time, getting all cables well-organized.

Each connector has its own number for an easy identification of cables and to replace them quickly in live shows. Thanks to its 10m length cable, there is no problem to reach the mixer table with no loss of audio quality.

BOX 8 and **BOX 12** respectively have 6 and 10 microphone sends with XLR3 female connectors. Both references feature 2 balanced sends/returns with 1/4" Jack connector. This allows transmitting an audio signal from and to any direction.

BOX 12

NEW



BOX



x10



x2

CABLE



x10



x2

- 10 microphone sends with XLR 3 female socket.
- 2 bal. line sends/returns with 1/4" Jack socket.
- Cable with male connectors (XLR3/1/4" Jack stereo).
- Dimensions: 175 x 100 x 40 mm.
- Weight: 3.7 kg.

LENGTH

10 m.

BOX 8

NEW



BOX



x6



x2

CABLE



x6



x2

- 6 microphone sends with XLR 3 female socket.
- 2 bal. line sends/returns with 1/4" Jack socket.
- Cable with male connectors (XLR3/1/4" Jack stereo).
- Dimensions: 125 x 100 x 40 mm.
- Weight: 3.7 kg.

LENGTH

10 m.



MLS 1000
-10 m. 12 sends

MLS 1001
-10 m. 16 sends

LENGTH

10 m.

Studiosnake with 12 or 16 sends (depending on model). XLR 3 male - XLR 3 female. Colour identification.



MLS 1002
-3m. 12 sends

MLS 1005
-6m. 16 sends

LENGTH

3 m.

6 m.

Studiosnake with 12 or 16 sends (depending on model). XLR 3 female - 1/4" Jack mono. Colour identification.



MLS 1004
-3m. 12 sends

MLS 1003
-6m. 12 sends

LENGTH

3 m.

6 m.

Studiosnake with 12 sends 1/4" Jack mono - 1/4" Jack mono. Colour identification.



MLS 1006
-3m. 12 sends

MLS 1007
-6m. 12 sends

LENGTH

3 m.

6 m.

Studiosnake with 12 sends 1/4" Jack mono - RCA male. Colour identification.



MLS 1008

-6m. 12 sends

NEW



Studiosnake for stages.
12 sends XLR 3 female - 1/4" Jack mono.
Colour identification.

LENGTH

6 m.

MLS 1009

-6m. 8 sends

NEW



Studiosnake for stages.
8 sends 1/4" Jack mono - RCA male.
Connectors with gold contacts.

LENGTH

6 m.

MLS 1010

-6m. 8 sends

NEW



Studiosnake for stages.
8 sends RCA male - RCA male.
Connectors with gold contacts.

LENGTH

6 m.

K 530



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 63 A.

LENGTH

10 m.

K 535



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 63 A.

LENGTH

25 m.

K 520



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 32 A.

LENGTH

10 m.

K 525



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 32 A.

LENGTH

25 m.

K 510



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 16 A.

LENGTH

10 m.

K 515



Input/output power cable with 5 conductors for tri-phase line with CEE connectors (3P+N+E). Max. load: 16 A.

LENGTH

25 m.



K 630



Power cable with 18 conductors (16 + 2 x ground) of 1.5 mm with 16 input/output contact multi-connectors.

LENGTH

5 m.

K 635



Power cable with 18 conductors (16 + 2 x ground) of 1.5 mm with 16 input/output contact multi-connectors.

LENGTH

10 m.

K 640



Power cable with 18 conductors (16 + 2 x ground) of 1.5 mm with 16 input/output contact multi-connectors.

LENGTH

15 m.

K 645



Power cable with 18 conductors (16 + 2 x ground) of 1.5 mm with 16 input/output contact multi-connectors.

LENGTH

20 m.

K 620



Power cable with 12 conductors (10 + 2 x ground) of 1.5 mm with 12 input/output contact multi-connectors.

LENGTH

10 m.

K 625



Power cable with 12 conductors (10 + 2 x ground) of 1.5 mm with 12 input/output contact multi-connectors.

LENGTH

15 m.

K 610



Power cable with 7 conductors (6 + ground) of 1.5 mm with 6 input/output contact multi-connectors.

LENGTH

10 m.

K 615



Power cable with 7 conductors (6 + ground) of 1.5 mm with 6 input/output contact multi-connectors.

LENGTH

15 m.

K 650

NEW



x4

Cable for power supply from a 16 pin aerial male multi-connector (16 A/pin) to 4 aerial schuko connectors (female).

LENGTH

1 m.



POWER SPLITTER

- Power splitter with phase separation.
- Power input: 380 V with CEE connector (3P+N+E).
 - 6 schuko outputs with phase indicator.
 - Dimensions: 220 x 150 x 102 mm.
 - Weight: 1.8 kg.



PD 61 SC

- Power splitter.
- 6 schuko outputs.
 - Dimensions: 350 x 150 x 102 mm.
 - Weight: 1.6 kg.



PD 81 S

- Power splitter.
- Power splitter with 8 schuko outputs and a 16 pin multi-connector for power input.
 - Dimensions (WxHxD): 345 x 150 x 102 mm.
 - Weight: 3.2 kg.



PD 82 S

- Power splitter.
- Power input: multi-connector with 16 pin, for power input and link.
 - 6 schuko outputs and 1 multi-connector output.
 - Dimensions: 352 x 150 x 102 mm.
 - Weight: 3.5 kg.



PD 81 E

- Power splitter.
- Power input with 16 pin multi-connector.
 - 8 CEE (1P+N+E) outputs.
 - Dimensions: 382 x 170 x 123 mm.
 - Weight: 3.2 kg.



PD 82 E

- Power splitter.
- Power input and link with 16 pin multi-connectors.
 - 8 CEE (1P+N+E) outputs.
 - Dimensions: 385 x 170 x 127 mm.
 - Weight: 3.6 kg.



POWER SPLITTER 16 and **POWER SPLITTER 32** have been designed to ensure maximum flexibility in supplying power. Available in two versions (16 A and 32 A), they are particularly useful tools for audio and lighting installations.


This is a 16 A tri-phase power distribution box. It features link inputs and outputs with CEE connectors (5 pins) and 5 direct outputs with schuko connectors with protection lid.

Each phase (2 schukos of 16 A) has circuit breakers that protect fixtures against any problems.



POWER SPLITTER 16

| TECHNICAL DATA | POWER SPLITTER 16 |
|--------------------|---|
| Main power: | AC 230 V, 16 A 50/60 Hz. |
| Input connector: | Multi-connector, Male CEE, 3x16 A. |
| Max. load: | 16 A (max) / phase. |
| Output connection: | 6 x schuko + 1 female CEE connector (link). |
| Circuit breaker: | 3 x 16 A. |
| Housing: | Metal. |
| Dimensions: | 367 x 150 x 107 mm. |
| Weight: | 2 kg. |




Internal wiring: connection scheme (PS 16).

This is a 32 A tri-phase power distribution box. It features link inputs and outputs with CEE connectors (32 A, 5 pins) and 6 direct outputs with schuko connectors with protection lid. Each phase has 16A circuit breakers that protect fixtures against any problems.



POWER SPLITTER 32

| TECHNICAL DATA | POWER SPLITTER 32 |
|--------------------|---|
| Main power: | AC 230 V, 32 A 50/60 Hz. |
| Input connector: | Multi-connector, Male CEE, 3x16 A. |
| Max. load: | 32 A (max) / phase. |
| Output connection: | 6 x schuko + 1 female CEE connector (link). |
| Circuit breaker: | 6 x 16 A. |
| Housing: | Metal. |
| Dimensions: | 460 x 150 x 112 mm. |
| Weight: | 3.2 kg. |



Internal wiring: connection scheme (PS 32).



BPD 161 SC

Connection bar with 6 schuko outputs.

- Tri-phase input with CEE 3 x 16 A connector (3P+N+E).
- With hanging rings.
- Dimensions (WxHxD): 490 x 150 x 120 mm.
- Weight: 2 kg.



BPD 262 SC

Connection bar with 6 schuko outputs.

- Tri-phase input and output with CEE 3 x 16 A connectors (3P+N+E).
- With hanging rings.
- Dimensions (WxHxD): 570 x 150 x 120 mm.
- Weight: 2.50 kg.



BPD 161 E

Connection bar with 6 outputs through 16 A monophasic CEE connectors.

- Tri-phase input with CEE 3 x 16 A connector (3P+N+E).
- With hanging rings.
- Dimensions (WxHxD): 625 x 150 x 120 mm.
- Weight: 2.5 kg.



BPD 262 E

Connection bar with 6 outputs through 16 A monophasic CEE connectors.

- Tri-phase input and output with CEE 3 x 16 A connectors (3P+N+E).
- With hanging rings.
- Dimensions (WxHxD): 695 x 150 x 120 mm.
- Weight: 2.8 kg.



BPD 661



- Connection bar with 6 schuko outputs.
- Input through 16 pin multi-connector.
 - With hanging rings.
 - Dimensions (WxHxD): 510 x 150 x 95 mm.
 - Weight: 2 kg.

BPD 662



- Connection bar with 6 schuko outputs.
- Input and output through 16 pin multi-connector.
 - With hanging rings.
 - Dimensions (WxHxD): 606 x 100 x 70 mm.
 - Weight: 2.5 kg.

These two connection bars have a power connection interface and another for DMX signal. Its input and link multi-connectors distribute power between the schuko connectors (4 or 6 depending on the model). Thus, using DMX input connection, it is possible to send effects on each channel (via signal). Its hanging rings allow their location on structures or ceilings.

BAR 4150 DMX BAR 6200 DMX

Connection bars



BAR 4150 DMX



BAR 6200 DMX



| TECHNICAL DATA | BAR 4150 DMX | BAR 6200 DMX |
|--------------------------------|----------------------|----------------------|
| Number of channels: | 4 | 6 |
| Maximum load per channel: | 16 A | 16 A |
| Multi-connector (IN/LINK-OUT): | 16 pins (16 A x pin) | 16 pins (16 A x pin) |
| Dimensions: | 1500 x 153 x 50 mm | 2000 x 153 x 50 mm |
| Weight: | 4.2 kg. | 5.5 kg. |



BEW 8/1

Electrified bar with 8 schukos (8 x 10 A max) and 16 pin multi-connector for input.

- Dimensions (WxHxD): 2010 x 100 x 70 mm.
- Weight: 5.5 kg.



BEW 8/2

Electrified bar with 8 schukos (8 x 10 A max) and 2 16 pin multi-connectors for input and output.

- Dimensions (WxHxD): 2010 x 100 x 70 mm.
- Weight: 5.5 kg.



PP SCK 6

Rackmount panel with 6 schucko (16A) outputs for power distribution.
An easy system to fix numbered plates between the plug-in allows an easy location of them.

- Dimensions: 483 x 88 x 65 mm.
- Weight: 1 kg.



PP CEE 15

Rackmount panel with 6 x 16A CEE (1P+N+E) outputs for power distribution.
An easy system to fix numbered plates between the plug-in allows an easy location of them.

- Dimensions: 483 x 88 x 65 mm.
- Weight: 1.6 kg.






PC 12
Patch panel

Patch panel for 12 XLR connectors.
Designed in 1HU 19", it includes plastic numbers for an easy identification of connectors.
- Dimensions (WxHxD): 483 x 44 x 7 mm.
- Weight: 0.3 kg.



Identification numbers.



SCP 4 L
SCP-4 R
Patch panels

WORK® rack accessories **SCP-4 L** and **SCP-4 R** provide to users an convenient connection system for audio and lighting installations with a 19 pin circular multi-connector .

Each panel includes 4 connecting sockets for plug-ins fastening. These devices allow directing all the connectors towards left (**SCP 4 L**) or right (**SCP 4 R**) for an easy handling. In addition, a convenient system to fix numbered plates between the plug-in ensures the easy location of the signals.

FEATURES

- 2 19" rack units.
- 4 connecting sockets (19 pin connectors).
- 8 numbered plates.
- Fastening screws included.
- SOCAPEX® original connectors.
- Dimensions (WxHxD): 483 x 88 x 54 mm.
- Weight: 13 kg.



Accessories (included).



Accessories (included).



SOCAPEX® original connectors



NC 100

Rack mount patch panel with 10 channels. Output sockets in rear panel.

5 A for each channel. 16 A total load. Fuses on front panel.

- Dimensions: 483 x 132 x 50 mm.

- Weight: 1.1 kg.



NC 100 F

Rack mount patch panel with 10 channels. Output sockets in rear panel.

5A for each channel. 16 A total load. Fuses on front panel. Flash button.

- Dimensions: 483 x 132 x 50 mm.

- Weight: 1.2 kg.



NC 600

Rack mount patch panel with 6 channels. Schuko outputs in rear panel.

5 A for each channel. 16 A total load. Fuses on front panel.

- Dimensions: 483 x 88 x 150 mm.

- Weight: 2.1 kg.

REAR PANEL



NC 800

Rack mount patch panel with 8 channels. Schuko outputs in rear panel.

5 A for each channel. 16 A total load. Fuses on front panel.

- Dimensions: 483 x 88 x 150 mm.

- Weight: 2.3 kg.

REAR PANEL



NC 1000

Rack mount patch panel with 10 channels. Schuko outputs in rear panel.

5 A in each channel. 16A total load. Fuses on front panel.

- Dimensions: 483 x 132 x 150 mm.

- Weight: 3.2 kg.

REAR PANEL



NC 1000 F

Rack mount patch panel with 10 channels. Schuko outputs in rear panel.

5 A for each channel. 16 A total load. Fuses on front panel. Flash button.

- Dimensions: 483 x 132 x 150 mm.

- Weight: 3.5 kg.

REAR PANEL





SK 8

8 schuko sockets.
2 HU rack.



SK 16

16 schuko sockets.
2 HU rack.



XLR 8

Metal box with 8 input / 2 output connectors.



XLR 12

Metal box with 12 input / 4 output connectors.



XLR 16

Metal box with 16 input / 4 output connectors.



XLR 24

Metal box with 24 input / 8 output connectors.



XLR 32

Metal box with 32 input / 8 output connectors.



- SH 2000 Black
- SH 2001 Red
- SH 2002 Blue
- SH 2003 Green
- SH 2004 Yellow
- SH 2005 Orange



Microphone windscreens

SH 2105



Holder for wireless microphones.
Ø 33mm.

SH 2100 -Clip
SH 2101



SH 2100 SH 2101

Holder for microphones.
Ø 27mm for both models.

SH 2102
SH 2103



SH 2102 SH 2103

Holder for microphones. Rubber flexible top.
SH 2102: Ø 30 mm. SH 2103: Ø 22 mm.

SH 2200 Female
SH 2201 Male



Thread adapter.

SH 2300 Small. Fix.
SH 2301 Large. Adjustable.



Adapter for 2 microphones.

SH 2400 Silver metal
SH 2401 Black



150 mm gooseneck.

SH 2402 Silver metal
SH 2403 Black



330 mm gooseneck.

SH 2404 Silver metal

SH 2405 Black



500 mm gooseneck.

SH 2410 Black



330 mm gooseneck. Black colour. With XLR 3 male and XLR 3 female connectors.

SH 2411 Black



430 mm gooseneck. Black colour. With XLR 3 male and XLR 3 female connectors.

SH 2414 Silver metal



NEW

330 mm gooseneck. Silver metal colour. With XLR 3 male and XLR 3 female connectors.

SH 2500



Microphone desk stand. 3 legs. Foldable.

SH 2508



Microphone desk stand. 3 legs. Foldable. Microphone holder included.

SH 2507



Microphone desk stand. 3 legs. Foldable.

SH 2501



Round microphone desk stand. \varnothing 150 mm. 120 mm high.




SH 2502



Microphone desk stand with gooseneck.

SH 2503



Extensible microphone desk stand with round base.

SH 2504



Desk microphone stand with round cast-iron base. With gooseneck.

SH 2505



Floor microphone stand with round base. Extensible, with adjustable boom arm. Silver metal.

SH 2506




Floor microphone stand with 3 folding legs, extensible, with telescopic boom arm. Silver metal.

SH 2509



Floor microphone stand. Tilt and height adjustable. Black colour.

SH 2601



Desk microphone stand with round base. Diameter 150mm. With gooseneck. Silver metal colour.

SH 2630



Microphone stand. With extensible boom arm. Nylon locking washer. Black colour.

NEW



Nylon locking swivel for SH 2630.



12 microphone stand rack.

MC 550

Rack designed to transport separately up to 12 microphone stands, thanks to the rigid plastic tubes.

Made of wood, this rack features butterfly latches, metal reinforced corners and profiles. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- 12 compartments for microphone stands.
- Dimensions: 340 x 1130 x 450 mm (1270 mm. with the wheels).
- Weight: 30 Kg.



12 individual compartments for microphone stands.



SH 2653

Silver metal.



Foldable microphone stand.
Extensible. With telescopic angled
boom arm. Silver metal colour.

SH 2654

Black.



Foldable microphone stand.
Extensible. With telescopic boom arm.
All metal accessories made of steel and
aluminium. Black colour.

SH 2655


Black.



Foldable microphone stand.
Extensible. With telescopic boom arm.
All metal accessories made of
steel and aluminium. Black colour.



Metal base and hinge with for SH 2654, SH 2655, SH 2660 and SH 2661.



Metal clutch for SH 2654.



Aluminium clutch for SH 2654 and SH 2655.

Series of extensible steel microphone stands with telescopic boom arm.

In addition to their fast and safety locks, stability and lightweight of these stands, they allow microphone adjustments with maximum convenience.

They also include a subsection clamp for cable that protects cables from any damages.

SH 2660

Black.



SH 2661

Silver metal.



Metal clutch for SH 2655.



Metal clutch for SH 2660 and 2661.



Steel clutch for 2660 and 2661.



SH 3150 B



Iron foldable speaker stand. Black colour. Weight 3.8 kg.



SH 3100 S



Aluminium foldable speaker stand. Weight 1.92 kg.



SH 3200 S



Iron foldable speaker stand (suitable for heavy weight speakers). Zinc plated. Weight: 6.3 kg.



V 500



External mounting top hat for speakers. Made of plastic. Internal diameter: 35 mm.

V 501



External mounting top hat for speakers. Made of iron. Internal diameter: 35 mm.



Safety clutch.

SH 3300

SSH 3300 is a black foldable stand designed for speakers and lighting devices like spots using a transverse bar.

Made of iron for a better resistance to heavy loads, it allows supporting any kind of loudspeaker. Its folding feet ensure a perfect stability and its multiposition security lock avoids any problem regarding material fixation and size settings.



SH 100

1400 mm. MAX.
800 mm. min.

Distance tube between subwoofer and satellite. Extensible. Black colour.

SH 606




Base for loudspeakers without insertion. Suitable for SPB wall-mount bracket. Internal diameter: 35 mm.



SPB mini


Wall-mount bracket



SPB Mini is a 3D wall-mount bracket (vertical and horizontal) specially designed for **STUDIO 20** Line and **STUDIO 30** Line loudspeakers. Easy mounting system to speaker. 2 colours available: Black and white.

SPB 1 E

Wall-mount bracket



SPB 1 E/B



SPB 1 E/W

SPB 1 E is a wall-mount bracket for small-size speakers, all appropriate for installations where audio has to go unnoticed.

SPB 1 E allows a total orientation of speakers and so ensures audio spread. Thanks to its security locking cable, **SPB 1 E** ensures that speaker will never fall.

SPB 2 E

Wall-mount bracket

Wall-mount bracket for speakers. Maximum load: 45 kg.



SPB 3 E

Wall-mount bracket



Wall-mount bracket for speakers. 3 positions with 90° and 135° turns. Maximum load: 45 kg.



SPB 4 E

Wall-mount bracket


Wall-mount bracket for speakers. 2 axes of rotation. Adjustable depth for speaker position. Maximum load: 45 kg.



SPB 5

Wall-mount bracket

High resistance wall-mount bracket for speakers. Extensible arm for largest size speakers. Maximum load: 45 kg.





SPB 6

Wall-mount bracket





Wall-mount bracket specially designed for heavy load speakers. Reinforced rear panel allows its installation on walls and corners. Insertion: \varnothing 35 mm.
Inclination angles: 22.5°, 45°, 90°, 112.5° and 135°.
Maximum load: 60 kg.

**SPB 7**

Wall-mount bracket




High resistance wall-mount bracket for speakers.
2 positions with 180° and 360° turns.
Maximum load: 15 kg.

**SPB 8**

Wall-mount bracket



The most flexible wall-mount bracket of SPB series. 2 positions with 180° and 360° turns.
Maximum load: 15 kg.





DJ BAG 10



Bag made of nylon and designed for DJ sessions, as it allows carrying any tools and devices. It has a great capacity and features many compartments for all disc jockey equipment. Thanks to its handles, twin adjustable shoulder straps and additional adjustable shoulder straps, there are many ways to carry it with you.

- Dimensions: 390 x 360 x 210 mm.
- Weight : 2 kg.



DJ BAG 15



This transport bag has been designed for DJs. Its semi rigid padded structure allows user to bring with him up to 40 LP's. Many other compartments are available for all disc jockey equipment: CDs, headphones, cables, etc. Like **DJ BAG 10**, there are many ways to carry it with you.

- Dimensions: 405 x 425 x 310 mm.
- Weight : 2.40 kg.



DJ BAG 20

This transport bag for DJs differentiates itself from the others as it includes 2 wheels and folding handles, being very functional. Its semi rigid padded structure allows user to bring with him up to 40 LP's.

- Dimensions: 380 x 360 x 300 mm.
- Weight : 3 kg.



Aluminium case with foam covering inside to carry up to 50 LP's. Each one features metal reinforced corners and butterfly latches. Available in three different colours: Silver metal (LPC 500/50 S), Black (LPC 500/50 BK), or Red (LPC 500/50 R).

- Dimensions (WxHxD): 290 x 370 x 390 mm.

- Weight : 3.75 kg.



LPC 500/50 BK



LPC 500/50 R



LPC 500/50 S

LPC 500/50 series

60 CD CASE ECO SILVER

NEW



Transport case for 60 CD's with 6 separated compartments.

- Dimensions (WxHxD): 440 x 180 x 250 mm.

- Weight : 2.30 kg.

60 CD CASE LUXE



Transport case for 60 CD's with 3 separated compartments. High quality aluminium finish.

- Dimensions (WxHxD): 455 x 190 x 245 mm.

- Weight: 2.65 kg.

60 CD CASE



Transport case for 60 CD's .

- Dimensions (WxHxD): 470 x 210 x 260 mm.

- Weight : 3.84 kg.

120 CD CASE ECO SILVER

Transport case for 120 CD's with 8 separated compartments. High quality aluminium finish.

- Dimensions (WxHxD): 470 x 180 x 400 mm.

- Weight: 3.60 kg.

NEW





120 CD CASE LUXE

Transport case for 120 CD's .

- Dimensions (WxHxD): 455 x 195 x 450 mm.
- Weight: 2.65 kg.



120 CD CASE TROLLEY

Trolley case for 120 CD's with 12 separated compartments.

- Dimensions (WxHxD): 570 x 195 x 350 mm.
- Trolley: 100 cm.
- Weight: 5.62 kg.



MICRO 7 CASE



Transport case for 7 microphones. Compartment for cables. Aluminium finishing.

- Dimensions (WxHxD): 465 x 130 x 335 mm.
- Weight: 2.65 kg.

MICRO 12 CASE



Transport case for 12 microphones. Compartment for accessories (cables, headphones, etc.).

- Dimensions (WxHxD): 390 x 260 x 205 mm.
- Weight: 2.70 kg.

MICRO 25 CASE



Transport case for 25 microphones. Compartment for accessories (cables, headphones, etc.).

- Dimensions (WxHxD): 545 x 265 x 420 mm.
- Weight: 8.36 kg.

RACK CD PLAYER



Rack designed to transport double CD players.
The control unit is separated from the player unit. Both parts are assembled during transport to form a compact unity. It allows using control units of 2 HU rack.

- Dimensions (WxHxD): 525 x 175 x 585 mm.
- Weight: 7.44 kg.



RACK DISCOTECA PORTÁTIL



Mobile DJ case designed for 2 CD players and a mixer.
Folding front tray.

- Dimensions (WxHxD): 810 x 203 x 515 mm.
- Weight: 7.34 kg.



Example with 2 CD players (150 CD MP3) and a 2 channel mixer (SION 20). PRODUCTS NOT INCLUDED.

LIGHTING CASE



Case designed for small scanners and cables. Wheels on one side (trolley type).

- Dimensions (WxHxD): 620 x 230 x 565 mm.
- Weight: 9,78 kg.



48 LIGHT CASE

Rack designed to carry up to 48 aluminium union sets for trusses (conical hinge + 2 conical pins + 2 safety R springs. Not included).

- Dimensions (WxHxD): 545 x 245 x 295 mm.
- Weight: 8.66 kg.



RACK STORM



Rack designed to carry 2 scanners from the **STORM** series (not included). High density foam layer and latches to provide better protection.

- Dimensions (WxHxD): 570 x 300 x 500 mm.
- Weight: 13 kg.



RACK SCAN

Rack designed to carry 19" lighting mixers.
Suitable for L-16, SCAN 812 DMX, SCAN 1216 DMX and SCAN 1000 DMX models.

- Dimensions (WxHxD): 530 x 165 x 260 mm.
- Weight: 4.34 kg.



RACK STAGE 10

Rack designed to carry 19" lighting mixers.
Suitable for STAGE 1624 DMX and STAGE 2412 DMX.

- Dimensions (WxHxD): 530 x 165 x 395 mm.
- Weight: 5.64 kg.



RACK STAGE 15


Rack designed to carry 19" lighting mixers.
Suitable for STAGE 4824 DMX.

- Dimensions (WxHxD): 760 x 165 x 395 mm.
- Weight: 7.14 kg.





RACK MIXER




Rack designed for rack-format units with a 170 mm. maximum depth.

Thanks to its folding rails, it is possible to fix audio mixers or lighting consoles and avoid any damage during transport. Butterfly latches, metal reinforced corners and profiles.

- Maximum depth for rack units: 170 mm.
- Weight: 24 kg.



RACK FOLLOW SPOT



Rack made of wood designed for follow spots.

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Weight: 33 kg.



RACK SIDIUS 575/1 RACK SIDIUS 575/2

Rack designed to carry moving heads from the **SIDIUS 575 SPOT** and **COLOR** series (not included). Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

2 versions available: **RACK SIDIUS 575/1** (suitable for one moving head) and **RACK SIDIUS 575/2** (suitable for two moving heads).



RACK SIDIUS 575/1:

- Dimensions (WxHxD): 630 x 900 x 480 mm.
- Weight: 28 kg.

RACK SIDIUS 575/2:

- Dimensions (WxHxD): 720 x 900 x 900 mm.
- Weight: 50 kg.



RACK 1200

Rack designed to carry a standard moving head (not included).

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Dimensions: 605 x 580 x 1020 mm.
- Weight: 30 kg.




WPL CASE 1

Rack made of wood designed to transport 2 **WPL 1** or **WPL 1/A** loudspeakers (not included).

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.


- Weight: 30 kg.



WPL CASE 5

Rack made of wood suitable for the following loudspeakers: **WPL5**, **WPL5/A**, **WPL BASS** and **WPL BASS/A** (not included).

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks between loudspeakers during transport. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.





**SOLD TOGETHER
ONLY**

SET RACK STAGE

NEW



Aluminium rack designed to transport any kind of cables and accessories. High density foam layer to avoid any knocks.

- Dimensions (WxHxD): 570 x 280 x 320 mm.
- Weight: 4.85 kg.



Aluminium rack designed to transport any kind of cables and accessories. High density foam layer to avoid any knocks.

- Dimensions (WxHxD): 780 x 350 x 400 mm.
- Weight: 7 kg.



Aluminium rack designed to transport any kind of cables and accessories. High density foam layer to avoid any knocks.

- Dimensions (WxHxD): 900 x 480 x 390 mm.
- Weight: 9 kg.






RACK TEATRO




Rack designed to transport up to 8 theatre spots 650/1000W or 8 spots PAR 64 (not included) and their clamps.

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks.

- Weight: 47 kg.



RACK TEATRO/PAR-2




Rack made of wood that features 8 compartments to allow transporting theatre or PAR spots with their own clamps. Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Weight: 48 kg.

RACK RIGGING 4

Rack made of wood that features 4 compartments to allow separation of different kind of cables. This ensures that the material is always tidy. Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Weight: 42 kg.




Rack made of wood without internal compartment. This makes possible transport of large devices. It includes a tray for smaller devices (microphones, CDs, etc.). The latter is easy to remove to get access to material below.

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Weight: 40 kg.

RACK STAGE DOBLE






Series of racks designed to transport any kind of cables or other material. They all feature high density foam layer to avoid any knocks during transport. Butterfly latches, metal reinforced corners and profiles. Fixation holes for wheels (only included for CW 1155). Available in many sizes according to user's needs.

CW 644




- Dimensions (WxHxD): 637 x 457 x 437 mm.
- Weight: 19 kg.



CW 844




- Dimensions (WxHxD): 837 x 457 x 437 mm.
- Weight: 22 kg.



CW 864




- Dimensions (WxHxD): 837 x 457 x 637 mm.
- Weight: 25 Kg.



CW 1244



- Dimensions (WxHxD): 1237 x 457 x 437 mm.
- Weight: 32 kg.





CW 1155




Rack made of wood and without compartment, being particularly useful to transport large and heavyweight products.

Butterfly latches, metal reinforced corners and profiles. High density foam layer to avoid any knocks. 4 wheels and handles on both sides for an easy transport.

- Dimensions (WxHxD): 1100 x 520 x 570 mm.

- Weight: 39 kg.



RACK CAJ 5



Multi-use rack featuring 5 cases, each one with its own dimensions (respectively, 2 HU, 3 HU, 4 HU, 5 HU and 8 HU). 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Dimensions (WxHxD): 500 x 1329 x 580 mm.

- Weight: 62 kg.

Multi-use rack featuring 4 cases with different dimensions (two of 3HU, one of 4HU and one of 5HU). Front door can be removed to be used as a table.

Upper part can be opened to form another base for material. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Dimensions (WxHxD): 505 x 922 x 535 mm.
- Weight: 58 kg.



TOUR CASE 1

Rack designed for touring uses (mobile-DJs, etc.).

Front door can be removed to be used as a table. Upper part can be opened to form another base for material. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- Dimensions (WxHxD): 1217 x 472 x 547 mm.
- Weight: 47 kg.



TOUR CASE DJ



TV-2
For two 42" screens.

TV-4
For two 50" screens.





| TECHNICAL DATA | TV-1 | TV-2 | TV-3 | TV-4 |
|---------------------|----------------------|----------------------|----------------------|----------------------|
| Capacity: | 1 42" screen | 2 42" screens | 1 50" screen | 2 50" screens |
| Dimensions (WxHxD): | 1047 x 760 x 395 mm. | 1520 x 760 x 546 mm. | 1380 x 873 x 392 mm. | 1738 x 874 x 559 mm. |
| Weight: | 49 kg. | 59 kg. | 55 kg. | 64 kg. |

TV-2

TV-4



Removable separation of compartments.





MC 550







12 compartments for microphone stands.

Rack designed to transport up to 12 microphone stands separately, thanks to the rigid plastic tubes.

Made of wood, this rack features butterfly latches, metal reinforced corners and profiles. 4 wheels (including 2 locking wheels) and handles on both sides for an easy transport.

- 12 compartments for microphone stands.
- Dimensions: 340 x 1130 x 450 mm (1270 mm. with the wheels).
- Weight: 30 kg.



19" racks

These standard racks for fixed installations and touring applications make possible fixation of any 19" rack-format devices like power amplifiers, sound effects, dimmers, etc.

Any of the following series has its own features:

- **RM and RM Pro series:** Made of metal and available in many sizes. Particularly adequate for fixed installations like theatres, TV studios, hospitals, etc.

- **RACKTOUR, RACKTOUR MIX and RACKTOUR PRO series:** Made of wood with metallic profiles. Removable front and rear doors. Wheels for the biggest references. **RACKTOUR MIX series** also features a folding system to fix elements like mixers. Easy transport, being convenient for touring applications.

- **Racks made of polyethylene** are also appropriate for touring applications: they features a trolley system for an easy transport and devices can be fixed on the front of the racks for an easy assembly.





RM 8 PRO
RM 10 PRO
RM 12 PRO
RM 16 PRO
RM 24 PRO
RM 40 PRO



Lateral view.



Secondary doors on both sides.



Ventilation.



Ground stands.



RM PRO series is an efficient solution to fix audio and lighting rack-format devices. All the racks feature fixation holes for internal fans, avoiding problems from heat dissipation. They also have front glass door which can be taken apart and secondary doors on both sides.

It becomes easy to fix any devices thanks to 19" rails and trays. The large space between door and fixation area ensures the perfect access to devices with front control panel. **RM PRO racks** also feature wheels so they can be use for fixed and mobile applications, ensuring in both cases the perfect stability of the unit.

The front door protects material from dust and allows the perfect visualization of controllers and indicators of the devices. It also has a safety lock to avoid any external handling.

| TECHNICAL DATA | RM 8 Pro | RM 10 Pro | RM 12 Pro | RM 16 Pro | RM 24 Pro | RM 40 Pro |
|---------------------|---------------------|--------------------|---------------------|---------------------|----------------------|----------------------|
| Capacity: | 8 HU. | 10 HU. | 12 HU. | 16 HU. | 24 HU. | 40 HU. |
| Dimensions (WxHxD): | 580 x 354 x 580 mm. | 580 x 442 x 580 m. | 580 x 531 x 580 mm. | 580 x 706 x 580 mm. | 580 x 1062 x 580 mm. | 580 x 2005 x 580 mm. |
| Weight: | 38 kg. | 40 kg. | 43 kg. | 46 kg. | 67 kg. | 96 kg. |



Mounting panel.




Safety lock.



Mounting holes for internal fans (included).

FEATURES

- 19" racks made of metal with metacrylate doors.
- Available in 8, 10, 12, 16, 24 or 40 rack units.
- Removable front door with safety lock and secondary doors on both sides.
- Fixation holes for internal fans (included).
- Wheels and base for a perfect stability in any situation.
- 19" rails and trays for easy installation.
- Fixation kit available for rack elements.
- Rack depth: 430 mm.
- Dimensions (WxD): 580 x 580 mm.





RM series

Black racks made of metal designed for standard 19" rack devices in fixed installations.


They feature rails on front and rear panels, stabilizers on both sides of the front panel for a better firmness of the rack.

Many sizes are available (8, 10, 12, 16 and 24 HU) with 44 mm high per rack. Maximum depth for rack units: 350 mm.





| TECHNICAL DATA | RM 8 | RM 10 | RM 12 | RM 16 | RM 24 |
|----------------|--------|--------|--------|--------|--------|
| Capacity: | 8 HU. | 10 HU. | 12 HU. | 16 HU. | 24 HU. |
| Weight: | 16 kg. | 18 kg. | 20 kg. | 22 kg. | 30 kg. |

RM 8




RM 10





RM 12



RM 16



RM 24




RACKTOUR series

RACKTOUR 6




- Weight: 14 kg.




RACKTOUR 8



- Weight: 15 kg.




RACKTOUR 10



- Weight: 16 kg.

RACKTOUR 12



- Weight: 19 kg.



RACKTOUR MIX series


RACKTOUR MIX 6

Racks made of wood with metal reinforced corners and profiles. Available in 6, 8, 10 and 12 HU.

Holding fixation system on the top of the rack, allowing up to 8 standard 19" rack units. Ideal for mixers, CD players, etc. Front and rear doors have been reinforced with high density foam and butterfly latches. Handles on both sides for an easy transport.




- Weight: 22 kg.




RACKTOUR MIX 8



- Weight: 28 kg.




RACKTOUR MIX 10



- Weight: 32 kg.

RACKTOUR MIX 12



- Weight: 37 kg.



RACKTOUR PRO series

Racks made of wood with reinforced metal profiles. Available in 6, 8, 10, 12 and 16 HU.

RACKTOUR PRO series stands out for its shock absorber layer that totally protects the inside of the rack from vibrations.


Front and rear doors with Front and rear doors have been reinforced with high density foam and butterfly latches. Handles on both sides for an easy transport.

RACKTOUR PRO 12 and **RACKTOUR PRO 16** also feature 4 wheels (including 2 locking wheels).

RACKTOUR PRO 6




- Weight: 15 kg.



RACKTOUR PRO 8



- Weight: 17.5 kg.



RACKTOUR PRO 10




- Weight: 26.5 kg.



RACKTOUR PRO 12 R



- Weight: 30 kg.







RACKTOUR PRO 16 R



- Weight: 49 kg.



RC 520 12U
12 HU rack.



RC 520 10U
10 HU rack.



RC 520 8U
8 HU rack.



RC 520 6U
6 HU rack.




RC 520 4U
4 HU rack.



RC 520 2U
2 HU rack.



Standard 19" racks made of polyethylene featuring 2 doors and handle for an easy access and transport. 2 columns inside for a safety use. Aluminium frames.



RS 100

Caster board designed for rack transport.




RC 520/4U TR



Rack designed for 4 HU rack, featuring a trolley system (with extensible handle) for a better comfort.

Trolley's 1 HU cap can be removed to allow the connection of a short depth unit, like a patch panel for example. Double door for an easy access and connexion with external devices. Aluminium frames and 2 columns inside for a safety use.



RACK MIX 12



This rack has been designed for mixers or any other devices with a short depth (max. 10 cm.) and a maximum height of 12 HU rack. The holding system features 2 metal arms that can be adjusted to lean the mixer.



RACK 10810



NEW

Rack designed for mobile-DJ applications. Made of ABS plastic. It allows storing a power amplifier, a double CD player and a mixer.

- Rack units on front panel: 8.
- Rack units on top panel: 10.
- Rack units on rear panel: 10.
- Dimensions: 590 x 570 x 570 mm.
- Weight: 9.50 kg.

RACK 1068



Rack designed for mobile-DJ applications. Made of ABS plastic. It allows storing a power amplifier, a double CD player and a mixer.

- Rack units on front panel: 6.
- Rack units on top panel: 10.
- Rack units on rear panel: 8.
- Dimensions: 590 x 570 x 520 mm.
- Weight: 9.50 kg.

RACK 624



Rack designed for mobile-DJ applications. Made of ABS plastic. It allows storing a double CD player and a mixer.

- Rack units on front panel: 2.
- Rack units on top panel: 6.
- Rack units on rear panel: 4.
- Dimensions: 590 x 350 x 520 mm.
- Weight: 7 kg.



MIC 6 ABS



ABS plastic case designed to transport up to 6 microphones.
Compartment for accessories (cables, etc.).
- Dimensions (WxHxD): 300 x 240 x 340 mm.
- Weight: 3 kg.

MIC 12 ABS



ABS plastic case designed to transport up to 12 microphones.
Compartment for accessories (cables, etc.).
- Dimensions (WxHxD): 340 x 350 x 280 mm.
- Weight: 4 kg.

LP 40 ABS



ABS plastic case designed to transport up to 40 LPs.
- Dimensions (WxHxD): 425 x 310 x 405 mm.
- Weight: 4 kg.

TURNTABLE ABS



ABS plastic case designed to transport turntables.
- Dimensions (WxHxD): 515 x 455 x 215 mm.
- Weight: 6 kg.


STAND CASE ABS




ABS plastic case designed to transport microphone stands and/or speakers.
- Dimensions (WxHxD): 950 x 325 x 225 mm.
- Weight: 6 kg.




19" flat rack panels. Many sizes available (1 HU, 2 HU, 3 HU, 4 HU).



TC 520
TC 521
TC 522
TC 530




19" rack panels designed for 3 fans. Two sizes available (2 HU and 3 HU).




TV 561
TV 562



19" rack panels designed for cooling. Many sizes available (1 HU, 2 HU, 3 HU, 4 HU).



TV 550
TV 551
TV 552
TV 560



19" rack panels designed for XLR connectors.
- 1 HU with 8 perforations.
- 2 HU with 16 perforations.
- 3 HU with 24 perforations.



BS 463
BS 464
BS 465




19" mounting panel that can be used as a 1 HU plate.



CJ 1012




19" mounting panels. Suitable for unrackable units. Many sizes available (1 HU, 2 HU, 3 HU, 4 HU).



RA 1111
RA 1112
RA 1113
RA 1114



19" metal drawer with keylock. Many sizes available (2 HU, 3 HU, 4 HU).



CJ 1000
CJ 1001
CJ 1002




19" mounting panel for 25 CDs. 3 HU rack units.



RA 1115

19" front rack panels with transparent plastic.
TP 510. 1 HU 19" panel.
TP 511. 2 HU 19" panel.
TP 512. 3 HU 19" panel.



TP 510
TP 511
TP 512




TC 526
TC 525
TC 524
TC 523



19" multi-punched rack panels.

TC 523. 1 HU rack panel
TC 524. 2 HU rack panel
TC 525. 3 HU rack panel
TC 526. 4 HU rack panel



TC 527
TC 528
TC 529




19" multi-punched rack panels, with "L" profile.

TC 527. 1 HU rack panel
TC 528. 2 HU rack panel
TC 529. 3 HU rack panel



BS 482
BS 481



19" rack panel designed for XLR or XLN4 connectors.
Rear support for cables.

BS 481. 1 HU rack and 16 perforations.
BS 482. 2 HU rack and 32 perforations



BS 466



BS 466 Metal connection base of 1 HU rack for 2 XLR female connectors, 6 XLR male connectors and 1 main connector. Black colour.

BS 467




BS 467 Metal connection base with 2 HU rack for 4 XLN 8 connectors and 8 XLR connectors (D series). Black colour.

BS 470
BS 471



BS 470. 1 HU rack metal connection base for 16 1/4" Jack connectors.
BS 471. 1 HU rack metal connection base for 4 SOCAPEX connectors.

CJ 1010
CJ 1011



Rack adapter with adjustable clamps.
CJ 1010. 3 HU rack.
CJ 1011. 4 HU rack.

MODEL PAGE

Symbols

120 CD CASE ECO SILVER 67
 120 CD CASE LUXE 68
 120 CD CASE TROLLEY 68
 48 LIGHT CASE 70
 60 CD CASE 67
 60 CD CASE ECO SILVER 67
 60 CD CASE LUXE 67

B

BAR 4150 DMX 51
 BAR 6200 DMX 51
 BEW 8/1 52
 BEW 8/2 52
 BOX 12 42
 BOX 8 42
 BPD 161 E 50
 BPD 161 SC 50
 BPD 262 E 50
 BPD 262 SC 50
 BPD 661 51
 BPD 662 51
 BS 463 101
 BS 464 101
 BS 465 101
 BS 466 102
 BS 467 102
 BS 470 102
 BS 471 102
 BS 481 102
 BS 482 102

C

CA 1 10
 CA 10 6
 CA 108 7
 CA 109 6
 CA 11 6
 CA 114 7
 CA 115 7
 CA 116 7
 CA 117 8
 CA 118 8
 CA 119 14
 CA 12 6
 CA 120 14
 CA 121 14
 CA 122 14
 CA 123 14
 CA 13 6
 CA 130 15
 CA 131 15
 CA 132 14
 CA 133 14
 CA 134 13
 CA 135 13
 CA 136 13
 CA 137 13
 CA 138 15
 CA 139 15
 CA 140 14
 CA 141 15
 CA 142 8
 CA 143 8
 CA 144 8
 CA 145 16
 CA 146 7
 CA 147 15
 CA 148 15
 CA 150 8
 CA 151 7
 CA 152 8
 CA 153 8
 CA 160 16
 CA 161 16
 CA 162 17
 CA 163 15
 CA 17 8
 CA 18 8
 CA 2 10
 CA 200 21
 CA 204 21
 CA 205 21
 CA 24 12
 CA 25 12
 CA 27 10
 CA 28 10
 CA 29 10
 CA 30 9
 CA 3000 22
 CA 3003 21
 CA 3005 22
 CA 31 9
 CA 32 9
 CA 33 9
 CA 34 9
 CA 35 9
 CA 36 9
 CA 37 9

MODEL PAGE

CA 38 10
 CA 39 10
 CA 45 10
 CA 46 10
 CA 50 6
 CA 500 19
 CA 502 19
 CA 504 19
 CA 506 19
 CA 508 19
 CA 51 6
 CA 510 19
 CA 52 6
 CA 53 6
 CA 54 6
 CA 55 6
 CA 56 7
 CA 57 7
 CA 58 7
 CA 59 7
 CA 60 7
 CA 61 7
 CA 63 8
 CA 64 17
 CA 65 17
 CA 66 18
 CA 67 18
 CA 68 18
 CA 69 18
 CA 7 9
 CA 70 16
 CA 71 16
 CA 72 16
 CA 73 16
 CA 74 17
 CA 75 17
 CA 76 17
 CA 77 18
 CA 78 18
 CA 79 18
 CA 8 9
 CA 80 8
 CA 800 21
 CA 801 21
 CA 802 21
 CA 803 21
 CA 81 8
 CA 810 21
 CA 815 21
 CA 82 8
 CA 83 8
 CA 84 9
 CA 85 9
 CA 850 22
 CA 851 22
 CA 86 9
 CA 87 9
 CA 88 17
 CA 9 6
 CA 90 13
 CA 900 22
 CA 901 22
 CA 94 13
 CA 95 13
 CA 98 18
 CA 99/5 13
 CA 99/7 10
 CB 110 11
 CB 111 11
 CB 112 12
 CB 113 12
 CB 124 12
 CB 125 12
 CB 126 11
 CB 127 11
 CB 128 13
 CB 129 14
 CB 14/2 10
 CB 180 12
 CB 190 14
 CB 26 11
 CB 3 10
 CB 4 10
 CB 40 11
 CB 41 11
 CB 42 11
 CB 43 11
 CB 44 11
 CB 48 11
 CB 49 11
 CB 5 11
 CB 501 19
 CB 503 19
 CB 505 19
 CB 507 19
 CB 509 19
 CB 511 19
 CB 6 11
 CB 62 12
 CB 91 12
 CB 92 12
 CB 93 10
 CB 96 12
 CJ 1000 101

MODEL PAGE

CJ 1001 101
 CJ 1002 101
 CJ 1010 102
 CJ 1011 102
 CJ 1012 101
 CW 1155 80
 CW 1244 79
 CW 644 78
 CW 844 78
 CW 864 79

D

DJ BAG 10 66
 DJ BAG 15 66
 DJ BAG 20 66

E

EXT MLS/32 39
 EXT MLS/40 39

K

K 1 29
 K 10 28
 K 11 28
 K 110 38
 K 111 27
 K 112 27
 K 113 27
 K 114 27
 K 115 38
 K 12 29
 K 13 29
 K 14 29
 K 15 29
 K 16 28
 K 17 28
 K 18 28
 K 180 25
 K 182 25
 K 184 25
 K 186 25
 K 188 25
 K 19 29
 K 190 25
 K 2 29
 K 20 33
 K 21 29
 K 28 26
 K 3 27
 K 30 26
 K 31 26
 K 32 26
 K 33 30
 K 34 30
 K 35 30
 K 36 30
 K 37 26
 K 39 26
 K 4 27
 K 40 34
 K 41 33
 K 42 33
 K 43 34
 K 44 34
 K 45 34
 K 46 32
 K 47 31
 K 48 35
 K 49 35
 K 5 27
 K 50 32
 K 51 31
 K 510 45
 K 515 45
 K 52 31
 K 520 45
 K 525 45
 K 53 31
 K 530 45
 K 535 45
 K 54 31
 K 55 31
 K 56 34
 K 57 32
 K 58 32
 K 59 32
 K 6 27
 K 60 33
 K 61 33
 K 610 47
 K 615 47
 K 62 32
 K 620 46
 K 625 46
 K 630 46
 K 635 46
 K 640 46
 K 645 46

MODEL PAGE

K 650 47
 K 66 34
 K 67 33
 K 7 28
 K 70 35
 K 71 35
 K 72 35
 K 73 35
 K 8 28
 K 80 36
 K 81 36
 K 82 36
 K 83 37
 K 84 36
 K 85 36
 K 86 36
 K 87 37
 K 88 37
 K 9 28
 K 90 37
 K 91 37
 K 92 37
 K 93 30
 K 94 30

L

LIGHTING CASE 69
 LP 40 ABS 100
 LPC 500/50 series 67

M

MAN Serie 24
 MC 550 59, 84
 MES Series 24
 MGO Series 23
 MIC 12 ABS 100
 MIC 6 ABS 100
 MICRO 12 CASE 68
 MICRO 25 CASE 68
 MICRO 7 CASE 68
 MLS-20/30 41
 MLS-28/30 41
 MLS-28/50 41
 MLS-32/50 41
 MLS 002 40
 MLS 1000 43
 MLS 1001 43
 MLS 1002 43
 MLS 1003 43
 MLS 1004 43
 MLS 1005 43
 MLS 1006 43
 MLS 1007 43
 MLS 1008 44
 MLS 1009 44
 MLS 1010 44
 MLS 15M PRO 32/50 41
 MLS 15M PRO 40/50 41
 MLS 20-30 CARRO 40
 MLS 20/6 40
 MLS 20/8 40
 MLS 28-30 CARRO 40
 MLS 28-50 CARRO 40
 MLS 32-50 CARRO 40
 MLS PRO 32/50 39
 MLS PRO 40/50 39
 MMD 50 DMX 23
 MMI 100 Series 23
 MMI 90 Series 23
 MSP 150 24
 MSP Series 24

N

NC 100 54
 NC 1000 54
 NC 1000 F 54
 NC 100 F 54
 NC 600 54
 NC 800 54

P

PC 12 53
 PD 61 SC 48
 PD 81 E 48
 PD 81 S 48
 PD 82 E 48
 PD 82 S 48
 POWER SPLITTER 48
 POWER SPLITTER 16 49
 POWER SPLITTER 32 49
 PP CEE 15 52
 PP SCK 6 52



| MODEL | PAGE |
|-------------------------------|------|
| R | |
| RA 1111 | 101 |
| RA 1112 | 101 |
| RA 1113 | 101 |
| RA 1114 | 101 |
| RA 1115 | 101 |
| RACK 1068 | 99 |
| RACK 10810 | 99 |
| RACK 1200 | 73 |
| RACK 624 | 99 |
| RACK CAJ 5 | 80 |
| RACK CD PLAYER | 69 |
| RACK DISCOTECA PORTÁTIL | 69 |
| RACK FOLLOW SPOT | 72 |
| RACK MIX 12 | 98 |
| RACK MIXER | 72 |
| RACK RIGGING 4 | 77 |
| RACK SCAN | 71 |
| RACK SIDIUS 575/1 | 73 |
| RACK SIDIUS 575/2 | 73 |
| RACK STAGE 10 | 71 |
| RACK STAGE 15 | 71 |
| RACK STAGE DOBLE | 77 |
| RACK STORM | 70 |
| RACK TEATRO | 76 |
| RACK TEATRO/PAR-2 | 76 |
| RACKTOUR 10 | 91 |
| RACKTOUR 12 | 91 |
| RACKTOUR 6 | 90 |
| RACKTOUR 8 | 90 |
| RACKTOUR MIX 10 | 93 |
| RACKTOUR MIX 12 | 93 |
| RACKTOUR MIX 6 | 92 |
| RACKTOUR MIX 8 | 92 |
| RACKTOUR PRO 10 | 95 |
| RACKTOUR PRO 12 R | 95 |
| RACKTOUR PRO 16 R | 96 |
| RACKTOUR PRO 6 | 94 |
| RACKTOUR PRO 8 | 94 |
| RC 520/4U TR | 98 |
| RC 520 10U | 97 |
| RC 520 12U | 97 |
| RC 520 2U | 97 |
| RC 520 4U | 97 |
| RC 520 6U | 97 |
| RC 520 8U | 97 |
| RM 10 | 88 |
| RM 10 PRO | 86 |
| RM 12 | 89 |
| RM 12 PRO | 86 |
| RM 16 | 89 |
| RM 16 PRO | 86 |
| RM 24 | 89 |
| RM 24 PRO | 86 |
| RM 40 PRO | 86 |
| RM 8 | 88 |
| RM 8 PRO | 86 |
| RS 100 | 97 |
| S | |
| SCP-4 R | 53 |
| SCP 4 L | 53 |
| SET RACK STAGE | 75 |
| SH 100 | 63 |
| SH 2000 | 56 |
| SH 2001 | 56 |
| SH 2002 | 56 |
| SH 200 | 56 |
| SH 2004 | 56 |
| SH 2005 | 56 |
| SH 2100 | 56 |
| SH 2101 | 56 |
| SH 2102 | 56 |
| SH 2103 | 56 |
| SH 2105 | 56 |
| SH 2200 | 56 |
| SH 2201 | 56 |
| SH 2300 | 56 |
| SH 2301 | 56 |
| SH 2400 | 56 |
| SH 2401 | 56 |
| SH 2402 | 56 |
| SH 2403 | 56 |
| SH 2404 | 57 |
| SH 2405 | 57 |
| SH 2410 | 57 |
| SH 2411 | 57 |
| SH 2414 | 57 |
| SH 2500 | 57 |
| SH 2501 | 57 |
| SH 2502 | 58 |
| SH 2503 | 58 |
| SH 2504 | 58 |
| SH 2505 | 58 |
| SH 2506 | 58 |
| SH 2507 | 57 |
| SH 2508 | 57 |
| SH 2509 | 58 |
| SH 2601 | 59 |
| SH 2630 | 59 |
| SH 2653 | 60 |
| SH 2654 | 60 |
| SH 2655 | 60 |

| MODEL | PAGE |
|----------------------|------|
| SH 2660 | 61 |
| SH 2661 | 61 |
| SH 3100 S | 62 |
| SH 3150 B | 62 |
| SH 3200 S | 62 |
| SH 3300 | 63 |
| SH 606 | 63 |
| SK 16 | 55 |
| SK 8 | 55 |
| SPB 1 E | 64 |
| SPB 2 E | 64 |
| SPB 3 E | 64 |
| SPB 4 E | 64 |
| SPB 5 | 64 |
| SPB 6 | 65 |
| SPB 7 | 65 |
| SPB 8 | 65 |
| SPB mini | 64 |
| SPL 10 | 24 |
| STAND CASE ABS | 100 |
| T | |
| TC 520 | 101 |
| TC 521 | 101 |
| TC 522 | 101 |
| TC 523 | 102 |
| TC 524 | 102 |
| TC 525 | 102 |
| TC 526 | 102 |
| TC 527 | 102 |
| TC 528 | 102 |
| TC 529 | 102 |
| TC 530 | 101 |
| TOUR CASE 1 | 81 |
| TOUR CASE DJ | 81 |
| TP 510 | 101 |
| TP 511 | 101 |
| TP 512 | 101 |
| TURNTABLE ABS | 100 |
| TV-1 | 82 |
| TV-2 | 83 |
| TV-3 | 82 |
| TV-4 | 83 |
| TV 550 | 101 |
| TV 551 | 101 |
| TV 552 | 101 |
| TV 560 | 101 |
| TV 561 | 101 |
| TV 562 | 101 |
| V | |
| V 500 | 62 |
| V 501 | 62 |
| W | |
| WH 10 | 20 |
| WH 16 | 20 |
| WH 66 | 20 |
| WHA 216 | 20 |
| WPL CASE 16 | 74 |
| WPL CASE 56 | 74 |
| X | |
| XLR 126 | 55 |
| XLR 166 | 55 |
| XLR 246 | 55 |
| XLR 326 | 55 |
| XLR 86 | 55 |

| MODEL | PAGE |
|-------|------|
|-------|------|

| MODEL | PAGE |
|-------|------|
|-------|------|