

**Parse 0436\_FANTEK\_Esquina Cuadrado 52.xlsx****codename: 52CUB****idProduct: 4241****\$idProductCode: 2748**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4241
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4241,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4241,100,0)
```

**features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105,4241,101,0)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4241 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,4241,100,0)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4241 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,4241,101,0)
UPDATE products SET newWebDesign=1,brief_100='Cubo muticonexi◊n',brief_101='Multiconnect
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='52CUB' AND JAV_TipoMedida='A'
```

**Parse 0435\_FANTEK\_Esquina Cuadrado 40.xlsx****codename: 40C****idProduct: 4224****\$idProductCode: 2429**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4224
```

**codename: 40CB**

**idProduct: 4224**

**\$idProductCode: 2430**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 40CT**

**idProduct: 5397**

**\$idProductCode: 2431**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=53
```

**codename: 40CTB**

**idProduct: 5397**

**\$idProductCode: 2432**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=53
```

**codename: 40CX**

**idProduct: 4227**

**\$idProductCode: 2434**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 40CXB**

**idProduct: 4227**

**\$idProductCode: 2435**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 40D2**

**codename: 40D4**

**idProduct: 7376**

**\$idProductCode: 9854**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=73
```

**codename: 40CUB**

**idProduct: 4229**

**\$idProductCode: 2233**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 40BI**

**idProduct: 4231**

**\$idProductCode: 2428**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42  
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
```



```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5397 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5397 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5397 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,5
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5397 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5397 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='40CTB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4227 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4227 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='40CXB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,73

```

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105,7376,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7376 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,7376,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7376 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,7376,101,1)
UPDATE products SET newWebDesign=1,brief_100='Corner cuatro dados truss',brief_101='Truss'
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='40D4' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4229,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4229,100,1)
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4229 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,4229,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,4229,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4229 AND lang=100
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4229 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,891,
UPDATE products SET newWebDesign=1,brief_100='Cubo muticonexi n',brief_101='Multiconnect
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='40CUB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4231 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,23,42
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4231 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,23,42
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4231 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,688,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4231 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,688,4
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4231 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,1105,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4231 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,1105,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4231 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4231 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4231 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4231 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,891,
UPDATE products SET newWebDesign=1,brief_100='Bisagra de uni n',brief_101='Connecting hi
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='40BI' AND JAV_TipoMedida='A'

```

## Parse 0434\_FANTEK\_Esquina Cuadrado 39.xlsx

**codename:** 39CUBP

**idProduct:** 7352

**\$idProductCode:** 2425

```

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=73
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,73
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,73
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,73

```

```
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,7352,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=7352 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,891,7352,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=7352 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,891,7352,101,1)
UPDATE products SET newWebDesign=1,brief_100='Cubo muticonexión',brief_101='Multiconnect
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='39CUBP' AND JAV_TipoMedida='A'
```

## Parse 0433\_FANTEK\_Esquina Cuadrado 30.xlsx

**codename: 30C**

**idProduct: 4179**

**\$idProductCode: 2396**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4179
```

**codename: 30CB**

**idProduct: 4179**

**\$idProductCode: 2397**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4179
```

**codename: 30CT**

**idProduct: 4181**

**\$idProductCode: 2398**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4181
```

**codename: 30CTB**

**idProduct: 4181**

**\$idProductCode: 2399**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4181
```

**codename: 30CX**

**idProduct: 5391**

**\$idProductCode: 2401**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=5391
```

**codename: 30CXB**

**idProduct: 5391**

**\$idProductCode: 2402**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=5391
```

**codename: 30D2**

**idProduct: 4184**

**\$idProductCode: 2403**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4184
```

**codename: 30D4**

**idProduct: 4185**

**\$idProductCode: 2404**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4185
```

**codename: 30CUB**

**idProduct: 4186**

**\$idProductCode: 2232**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4186
```

**codename: 30BI**

**idProduct: 4187**

**\$idProductCode: 2395**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=4187
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4187,100,0)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4187,100,0)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4187,100,1)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4187,100,1)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4187,100,2)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4187,100,2)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4187,100,3)
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4187,100,3)
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4179 AND lang=100
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4179,100,4)
```

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4179 AND lang=101
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4179,101,5)
```

```
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4179 AND lang=100
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4179,100,6)
```

```
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4179 AND lang=101
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4179,101,7)
```

```
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4179 AND lang=100
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4179 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4179 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as',brief_101='90 C
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30CB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4

```

```
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4181 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4181 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30CTB' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,53
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,53
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,5
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,5
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5391 AND lang=101
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=5391 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=5391 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,4184,100,1)
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30CXB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4184,101,1)

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105,4184,100,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,4184,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,4184,100,1)
UPDATE products SET newWebDesign=1,brief_100='Esquina dos dados truss',brief_101='Truss c
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30D2' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4184,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4184,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4184,101,1)

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4185 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4185,101,1)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4185 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4185,100,1)

```



```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,891,
UPDATE products SET newWebDesign=1,brief_100='Cubo muticonexi n',brief_101='Multiconnect
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30CUB' AND JAV_TipoMedida='A'
```

---

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4187 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,23,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4187 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,23,41
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4187 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,688,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4187 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,688,4
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4187 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,1105,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4187 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,1105,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4187 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4187 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,270,
UPDATE products SET newWebDesign=1,brief_100='Bisagra de uni n',brief_101='Joint hinge',
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30BI' AND JAV_TipoMedida='A'
```

## Parse 0432\_FANTEK\_Esquina Cuadrado 29.xlsx

**codename: 29CP**

**idProduct: 4188**

**\$idProductCode: 2373**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 29CE**

**idProduct: 4213**

**\$idProductCode: 2372**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 29CBP**

**idProduct: 4189**

**\$idProductCode: 2371**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 29CBE**

**idProduct: 4214**

**\$idProductCode: 2370**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29CTP**

**idProduct: 4190**

**\$idProductCode: 2377**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29CTE**

**idProduct: 4215**

**\$idProductCode: 2376**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29CTBP**

**idProduct: 4191**

**\$idProductCode: 2375**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29CTBE**

**idProduct: 4216**

**\$idProductCode: 2374**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29CXP**

**idProduct: 4192**

**\$idProductCode: 2383**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29CXE**

**idProduct: 4217**

**\$idProductCode: 2382**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29CXBP**

**idProduct: 4193**

**\$idProductCode: 2381**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29CXBE**

**idProduct: 4218**

**\$idProductCode: 2380**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 29D4P**

**idProduct: 7268**

**\$idProductCode: 9838**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=72
```

**codename: 29D4 E**

**codename: 29CUBP**

**idProduct: 4194**

**\$idProductCode: 2231**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 29CUBE**

**idProduct: 4219**

**\$idProductCode: 2378**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 29BIP**

**idProduct: 4195**

**\$idProductCode: 2369**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 29BIE**

**idProduct: 4220**

**\$idProductCode: 2368**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## **features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4188 AND lang=100
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
```

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4188 AND lang=101
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
```

```
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4188 AND lang=100
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
```

```
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4188 AND lang=101
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
```

```
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4188 AND lang=100
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4188 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4188 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90',brief_101='90 Corner',slc
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CP' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
```

```

SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4213,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4213,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4213,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4213,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4213,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4213,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4213 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4213,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4213 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4213,101,100)
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90',brief_101='90 Corner',slc='A'
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4213,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4213,101,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4213,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4213,101,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4213,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4213,101,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4213,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4213,101,100)

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4189,101,100)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4189 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4189,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4189 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4189,101,100)

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v as',brief_101='90 C
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CBP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4214 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4214 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v as',brief_101='90 C
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CBE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4190 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4190 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T"',brief_101='"' Corner',slogan_
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CTP' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4215 AND lang=101
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4215 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4215 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T"',brief_101='"T" Corner',slogan_
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CTE' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
```

```
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4191,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4191,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4191,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4191,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4191,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4191,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4191,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4191 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,4191,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4191 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,4191,101,101)
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" Corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CTBP' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4191,100,100)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4191,100,100)
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4216 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4216,100,100)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4216,101,101)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4216 AND lang=100
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4216 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" Corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CTBE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4192 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4192 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz',brief_101='Cross corner',s
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CXP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

**features**

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4217 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4217 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz',brief_101='Cross corner',s
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CXE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

**features**

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4193 AND lang=100

```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4193 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4193 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CXPB' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
```

```

SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4218 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4218 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CXBE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,72
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,72
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,72
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,72
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,7
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,7
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7268 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7268 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina cuatro dados truss',brief_101='Trus
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29D4P' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4194 AND lang=100

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4194 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4194 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina muticonexión',brief_101='Multi-con
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CUBP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,42
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,42
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105

```

```

SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4219 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4219 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina muticonexi◊n',brief_101='Multi-con
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29CUBE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4195 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,23,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4195 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,23,41
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4195 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,688,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4195 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,688,4
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4195 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,1105,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4195 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,1105,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4195 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4195 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4195 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4195 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,891,
UPDATE products SET newWebDesign=1,brief_100='Bisagra de uni◊n',brief_101='Joint hinge',
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29BIP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4220 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,23,42
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4220 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,23,42
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4220 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,688,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4220 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,688,4
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4220 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,1105,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4220 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,1105,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4220 AND lang=100

```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4220 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4220 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4220 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,891,
UPDATE products SET newWebDesign=1,brief_100='Bisagra de uni n',brief_101='Joint hinge',
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29BIE' AND JAV_TipoMedida='A'
```

---

## Parse 0431\_FANTEK\_Esquina Cuadrado 25.xlsx

**codename: 25C**

**idProduct: 4147**

**\$idProductCode: 2344**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25CB**

**idProduct: 4147**

**\$idProductCode: 2345**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25CT**

**idProduct: 5388**

**\$idProductCode: 2346**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=53
```

**codename: 25CTB**

**idProduct: 5388**

**\$idProductCode: 2347**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=53
```

**codename: 25CX**

**idProduct: 4149**

**\$idProductCode: 2349**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25CXB**

**idProduct: 4149**

**\$idProductCode: 2350**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25D4**

**idProduct: 4153**

**\$idProductCode: 2352**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25CUB****idProduct: 4154****\$idProductCode: 2348**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

**features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v as',brief_101='90 C
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25CB' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,53
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,53
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,5
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,5
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5388 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5388 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25CTB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4149 AND lang=101

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4149 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4149 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25CXB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4153 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4153 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4153 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4153 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4153 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4153 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4153 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4153 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
UPDATE products SET newWebDesign=1,brief_100='Esquina cuatro dados truss',brief_101='Trus
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25D4' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4154 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4154 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
UPDATE products SET newWebDesign=1,brief_100='Cubo muticonexión',brief_101='Multiconnect
UPDATE DADF_ArticuloMedida SET WHERECodigoArticulo='25CUB' AND JAV_TipoMedida='A'

```

## Parse 0424\_FANTEK\_Esquina Triangular 45.xlsx

**codename: 45R**

**idProduct: 4234**

**\$idProductCode: 2436**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RP**

**idProduct: 4235**

**\$idProductCode: 2439**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RD**

**idProduct: 4236**

**\$idProductCode: 2437**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RI**

**idProduct: 4237**

**\$idProductCode: 2438**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RT**

**idProduct: 4238**

**\$idProductCode: 2440**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RTB**

**idProduct: 4238**

**\$idProductCode: 2441**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RX**

**idProduct: 4240**

**\$idProductCode: 2442**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 45RXB**

**idProduct: 4240**

**\$idProductCode: 2443**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4234 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4234 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4234 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4234 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4234 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4234 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4234 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4234 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
```



```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4235 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4235 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4235 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4235 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊. V◊rtice interior',brief_10
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='45RP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4236 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4236 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊ - 3 v◊as. Derecha.',brief_1
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='45RD' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4237 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4237 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Corner de 90 - 3 v - as. Izquierda.',brief_
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='45RI' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4238 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4238 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4238 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4238 AND lang=101

```



```
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4240 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4240 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4240 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4240 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4240 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4240 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4240 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4240 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4240 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Corner en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='45RXB' AND JAV_TipoMedida='A'
```

---

### Parse 0423\_FANTEK\_Esquina Triangular 30.xlsx

**codename: 30R**

**idProduct: 4168**

**\$idProductCode: 2405**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RP**

**idProduct: 4169**

**\$idProductCode: 2410**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RPI**

**codename: 30RD**

**idProduct: 4170**

**\$idProductCode: 2406**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RI**

**idProduct: 4171**

**\$idProductCode: 2408**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RDI**

**idProduct: 4172**

**\$idProductCode: 2407**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RII**

**idProduct: 4173**

**\$idProductCode: 2409**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RT**

**idProduct: 4174**

**\$idProductCode: 2411**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RTB**

**idProduct: 4174**

**\$idProductCode: 2412**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RTP**

**idProduct: 4176**

**\$idProductCode: 2413**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RX**

**idProduct: 4177**

**\$idProductCode: 2414**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30RXB**

**idProduct: 4177**

**\$idProductCode: 2415**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## **features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4168 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4168 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4168 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4168 AND lang=101
```



```
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4169 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4169 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4169 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4169 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4169 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4169 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4169 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4169 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4169 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊. V◊rtice interior',brief_10
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RP' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4170 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4170 AND lang=100
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4170 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v.as. Derecha.',brief_1
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RD' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4171 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4171 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v.as. Izquierda.',brief
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RI' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

**features**

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4172 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4172 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Derecha. V - rtice
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RDI' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

**features**

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4173 AND lang=100

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4173 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4173 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Izquierda. V - rti
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RII' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104

```

```

SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4174 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4174 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as.',brief_101='"T" Corn
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RTB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4176 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4176 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T". V◊rtice interior.',brief_101=
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RTP' AND JAV_TipoMedida='A'

```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4177 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4177 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,
UPDATE products SET newWebDesign=1,brief_100='Corner en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30RXB' AND JAV_TipoMedida='A'
```

## Parse 0422\_FANTEK\_Esquina Triangular 29.xlsx

**codename: 29RE**

**idProduct: 4196**

**\$idProductCode: 2386**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 29RPE**

**idProduct: 4197**

**\$idProductCode: 2389**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29RDE**

**idProduct: 4198**

**\$idProductCode: 2384**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29RIE**

**idProduct: 4199**

**\$idProductCode: 2387**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41

**codename: 29RDIE**

**idProduct: 4200**

**\$idProductCode: 2385**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29RIIE**

**idProduct: 4203**

**\$idProductCode: 2388**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29RTE**

**idProduct: 4206**

**\$idProductCode: 2391**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29RTBE**

**idProduct: 4207**

**\$idProductCode: 2390**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29RTPE**

**idProduct: 4209**

**\$idProductCode: 2392**

DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42

**codename: 29RXE**

**idProduct: 4211**

**\$idProductCode: 2394**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
```

**codename: 29RXBE**

**idProduct: 4210**

**\$idProductCode: 2393**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=42
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4196 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4196 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90',brief_101='90 Corner',slc
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RE' AND JAV_TipoMedida='A'
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4197 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4197 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊. V◊rtice interior',brief_10
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RPE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4198 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4198 AND lang=101

```



```

SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4199 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4199 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4199 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4199 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4199 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4199 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Izquierda',brief_
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RIE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4200 AND lang=100

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4200,101,1105)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4200,100,1105)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4200 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4200,101,270)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4200 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4200,100,270)
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Derecha. V - ertice'
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RDIE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4203,100,737)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4203,101,737)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4203,100,738)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4203,101,738)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4203,100,739)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4203,101,739)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4203,100,740)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4203,101,740)

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4203,100,12)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4203,101,12)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4203,100,13)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4203,101,13)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,4203,100,14)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,4203,101,14)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4203,100,15)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4203,101,15)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4203,100,22)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4203,101,22)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4203,100,23)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4203,101,23)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4203,100,1104)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4203,101,1104)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4203,100,688)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4203,101,688)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4203,100,1105)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4203,101,1105)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4203 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4203,100,270)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4203 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4203,101,270)
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Izquierda. V - erti'
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RIIE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4203,100,737)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4203,101,737)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4203,100,738)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4203,101,738)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4203,100,739)

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4206 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4206 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T"',brief_101='"' Corner',slogan_
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RTE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4207 AND lang=100

```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4207 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4207 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v◊as',brief_101='"T" Corne
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RTBE' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
```

```

SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4209,100,16)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4209,101,17)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4209,100,18)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4209,101,19)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4209,100,20)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4209,101,21)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4209 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4209,100,22)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4209 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,4209,101,23)
UPDATE products SET newWebDesign=1,brief_100='Esquina "T". Vértice interior',brief_101='
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RTPE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4209,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4209,101,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4209,100,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4209,101,1)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4209,100,2)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4209,101,2)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4209,100,3)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4209,101,3)

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,4211,100,4)
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,4211,101,5)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,4211,100,6)
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,4211,101,7)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,4211,100,8)
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,4211,101,9)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4211,100,10)
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4211,101,11)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4211,100,12)
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4211,101,13)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4211,100,14)
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4211,101,15)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104,4211,100,16)
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104,4211,101,17)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,4211,100,18)
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,4211,101,19)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105,4211,100,20)
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4211 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105,4211,101,21)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4211 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,4211,100,22)
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4211 AND lang=101

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz',brief_101='Cross corner',s
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RXE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,42
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,42
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,42
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,42
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4210 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4210 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29RXBE' AND JAV_TipoMedida='A'

```

## Parse 0421\_FANTEK\_Esquina Triangular 25.xlsx

**codename:** 25R

**idProduct:** 4136

**sidProductCode:** 2353

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RP**

**idProduct: 4137**

**\$idProductCode: 2358**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RD**

**idProduct: 4138**

**\$idProductCode: 2354**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RI**

**idProduct: 4140**

**\$idProductCode: 2356**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RDI**

**idProduct: 4141**

**\$idProductCode: 2355**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RII**

**idProduct: 5389**

**\$idProductCode: 2357**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=53
```

**codename: 25RT**

**idProduct: 4142**

**\$idProductCode: 2359**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RTB**

**idProduct: 4142**

**\$idProductCode: 2360**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RTP**

**idProduct: 4144**

**\$idProductCode: 2361**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RX**

**idProduct: 4145**

**idProductCode: 2362**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25RXB**

**idProduct: 4145**

**idProductCode: 2363**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4136 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4136 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
```

```
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊',brief_101='90◊ Corner',slc
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25R' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4137 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4137 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90◊. V◊rtice interior',brief_10
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RP' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4138 AND lang=100
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4138 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4138 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Derecha.',brief_1
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RD' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41

```

```

SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4140 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (24,891,
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4140 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (25,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - Izquierda.',brief
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RI' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4141 AND lang=101

```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4141 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4141 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v - as. Derecha. V - rtice
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RDI' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,5
```

## features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,53
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,53
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,53
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,53
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,5
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,5
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,5
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,5
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5389 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
```

```

SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=5389 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 - 3 v.as. Izquierda. Vorti
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RII' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4142 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4142 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina "T" - 4 v.as.',brief_101='"T" Corn
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RTB' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features



```
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Corner en cruz - 5 v◊as',brief_101='Cross
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25RXB' AND JAV_TipoMedida='A'
```

---

## Parse 0413\_FANTEK\_Esquina Paralelo 30.xlsx

**codename: 30SV**

**idProduct: 4164**

**\$idProductCode: 11993**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30SH**

**idProduct: 4165**

**\$idProductCode: 11991**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30SV3**

**codename: 30SH3**

**codename: 30SX**

**idProduct: 4167**

**\$idProductCode: 2419**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 30STH**

**codename: 30D2**

**idProduct: 4184**

**\$idProductCode: 2403**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

**features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4164 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4164 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 vertical',brief_101='Corner
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30SV' AND JAV_TipoMedida='A'
```

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

**features**

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4165 AND lang=100
```



```

SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4167 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4167 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz',brief_101='Cross corner',s
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30SX' AND JAV_TipoMedida='A'

```

---

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4184 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4184 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina dos dados truss',brief_101='Truss c
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='30D2' AND JAV_TipoMedida='A'

```

**Parse 0412\_FANTEK\_Esquina Paralelo 29.xlsx****codename: 29SVP****idProduct: 8139****\$idProductCode: 11990**

DELETE FROM relproductdata WHERE relproductdata.lang&lt;&gt;109 AND relproductdata.idProduct=81

**codename: 29SVE****idProduct: 8145****\$idProductCode: 11989**

DELETE FROM relproductdata WHERE relproductdata.lang&lt;&gt;109 AND relproductdata.idProduct=81

**codename: 29SHP****idProduct: 7299****\$idProductCode: 11987**

DELETE FROM relproductdata WHERE relproductdata.lang&lt;&gt;109 AND relproductdata.idProduct=72

**codename: 29SHE****idProduct: 8147****\$idProductCode: 11986**

DELETE FROM relproductdata WHERE relproductdata.lang&lt;&gt;109 AND relproductdata.idProduct=81

**codename: 29SXP****codename: 29SXE****codename: 29STHP****codename: 29STHE****codename: 29D2P****idProduct: 7266****\$idProductCode: 3174**

DELETE FROM relproductdata WHERE relproductdata.lang&lt;&gt;109 AND relproductdata.idProduct=72

**codename: 29D2E**

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,81,100,0)
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,81,100,0)
```

**features**

SELECT \* FROM relproductdata WHERE idDataCategory=12 AND idProduct=8139 AND lang=100



```

SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,8
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,8
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,8
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,8
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=8145 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=8145 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 vertical',brief_101='Corner
UPDATE DADF_ArticuloMedida SET WHERECodigoArticulo='29SVE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,72
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,72
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,72
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,72
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,7
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,7
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,7
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,7
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,7
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,7
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7299 AND lang=101

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7299 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7299 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 horizontal',brief_101='Corn
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29SHP' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,8
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,8

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,81
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,81
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,81
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,81
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,81
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,81
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,8
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,8
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,8
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,8
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,8
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,8
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=8147 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=8147 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 horizontal',brief_101='Corn
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29SHE' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,7

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,72
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,72
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,72
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,72
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,72
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,7
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,7
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7266 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=7266 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina dos dados truss',brief_101='Truss c
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='29D2P' AND JAV_TipoMedida='A'

```

## Parse 0411\_FANTEK\_Esquina Paralelo 25.xlsx

**codename: 25SV**

**idProduct: 4132**

**idProductCode: 12010**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25SH**

**idProduct: 4133**

**idProductCode: 12009**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25SV3**

**codename: 25SV3**

**codename: 25SX**

**idProduct: 4135**

**\$idProductCode: 2367**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
```

**codename: 25STH**

**codename: 25D2**

**idProduct: 4152**

**\$idProductCode: 2351**

```
DELETE FROM relproductdata WHERE relproductdata.lang<>109 AND relproductdata.idProduct=41
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
```

### features

```
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4132 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4132 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 vertical',brief_101='Corner
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25SV' AND JAV_TipoMedida='A'
```

---

```
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4133 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4133 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina de 90 horizontal',brief_101='Corn
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25SH' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4135 AND lang=100

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,14,41
SELECT * FROM relproductdata WHERE idDataCategory=14 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,14,41
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,15,4
SELECT * FROM relproductdata WHERE idDataCategory=15 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,15,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,22,4
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (13,22,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (14,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (15,23,4
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (16,1104
SELECT * FROM relproductdata WHERE idDataCategory=1104 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (17,1104
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (18,688,
SELECT * FROM relproductdata WHERE idDataCategory=688 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (19,688,
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (20,1105
SELECT * FROM relproductdata WHERE idDataCategory=1105 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (21,1105
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4135 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (22,270,
SELECT * FROM relproductdata WHERE idDataCategory=270 AND idProduct=4135 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (23,270,
UPDATE products SET newWebDesign=1,brief_100='Esquina en cruz',brief_101='Cross corner',s
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25SX' AND JAV_TipoMedida='A'

```

```

INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (0,737,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (1,738,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (2,739,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (3,740,4

```

## features

```

SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4152 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (4,12,41
SELECT * FROM relproductdata WHERE idDataCategory=12 AND idProduct=4152 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (5,12,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4152 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (6,13,41
SELECT * FROM relproductdata WHERE idDataCategory=13 AND idProduct=4152 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (7,13,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4152 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (8,22,41
SELECT * FROM relproductdata WHERE idDataCategory=22 AND idProduct=4152 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (9,22,41
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4152 AND lang=100
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (10,23,4
SELECT * FROM relproductdata WHERE idDataCategory=23 AND idProduct=4152 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (11,23,4
SELECT * FROM relproductdata WHERE idDataCategory=891 AND idProduct=4152 AND lang=101
INSERT INTO relproductdata (orderRel,idDataCategory,idProduct,lang,value) VALUES (12,891,
UPDATE products SET newWebDesign=1,brief_100='Esquina dos dados truss',brief_101='Truss c
UPDATE DADF_ArticuloMedida SET WHERE CodigoArticulo='25D2' AND JAV_TipoMedida='A'

```

